



HOES

5

ELMETS

TS.

ESSES G WHEELS

ECHANICS ECHNICAL

SUITS

S/GLOVES TECTIONS

> SEATS RNESSES RING WHEELS

RACING

χ. Συ

CLOTHING CCESSORIE

APSULE FETTONS

Ę

# INMEX INDEX

Suits - Underwear - Shoes - Gloves - Helmets - Seats Harnesses - Steering Wheels - Mechanics / Technical

RACING

MADTING

Suits - Underwear - Shoes Gloves - Protections

pg. 306 - 333

DEDEMDMANCE **PERFORMANCE** 

Seats - Harnesses - Steering Wheels

F.GDMDTG

# SPARCO / CATALOGUE 2024

# **TEAMS**







# E-SPORTS pg. 334 - 369 Sim Racing - Chairs

# TEAMW/SAP **TEAMWEAR** LIFESTYLE

pg. 370 - 437

Clothing - Funwear & Lifestyle - Bags - Accessories Youth & Baby - E-Mobility - Capsule Collections

OUTLET

pg. 438 - 456





















TECHNICAL SUPPLIER



80-83


45-47

37-39

56-59

# MADE TO **MEASURE CHART**





53-56

91-95

69-72

38-41

40-42

114-117 146-155

M	IAN	BODY 9	SIZE CH	IART										
M.	AN	CHEST CIRCUMF.	WAIST CIRCUMF.	PELVIS CIRCUMF.	THIGH CIRCUMF.	SHOULDER WIDTH	SLEEVE LENGHT	FRONT CHEST LENGHT	EXTERNAL LEG LENGHT	INSEAM LEG LENGHT	BACK LENGHT	NECK CIRCUMF.	HEIGHT	WEIGHT
		CM	CM	CM	CM	CM	CM	CM	CM	CM	CM	CM	CM	KG
SIZ	ZES	А	В	С	D	E	F	G	Н	L	М	N		
XS	44	86-89	74-77	86-89	45-48	37-40	54-57	62-64	97-100	72-74	41-43	37-38	164-167	54
X5	46	90-93	78-81	90-93	47-50	39-42	56-59	64-66	98-101	73-75	42-43	38-39	167-170	60
	48	94-97	82-85	94-97	49-52	41-44	58-61	66-68	99-102	74-76	42-44	39-40	170-173	66
S	50	98-101	86-87	98-101	51-54	42-46	60-63	68-70	100-103	75-77	43-44	40-41	173-176	72
М	52	102-105	88-93	102-105	54-57	45-48	62-65	70-72	101-104	76-78	44-45	41-42	176-179	78
141	54	106-109	94-97	106-109	56-59	47-50	64-67	72-74	102-105	77-79	45-46	42-43	179-182	84
	56	110-113	98-101	110-113	59-62	49-52	66-69	74-76	103-106	78-80	46-48	43-44	182-185	90
-	58	114-117	102-105	114-117	61-64	51-54	68-71	76-78	103-107	79-81	48-49	45-46	185-188	96
VI	60	118-121	106-109	118-121	64-67	53-56	70-73	78-80	105-108	80-82	49-51	46-47	188-191	102
XL	62	122-125	110-113	122-125	67-70	56-58	72-75	80-82	107-110	81-83	51-52	47-48	191-194	108
	64	126-129	114-117	126-129	69-72	57-60	74-77	82-84	108-111	82-84	52-54	49-50	194-197	114
XXL	66	130-133	118-121	130-133	72-75	59-62	76-79	84-86	109-112	83-85	53-55	51-52	197-200	120

NB: If Your measurements differ from standard size, please verify with a tailor measuring tape and complete the Driver's chart measurements; it's recommended also complete the optional measures. Please note that these physical measurements charts are indicative only for commercial purposes, then are only usefull for Sparco products. Note only for the youths product sizes: Take into account any uses of chest protectors and its related footprint.

LADY BODY SIZE CHART (CM)											
WOMAN				BREAST TAKEN ON THE MOST PROMINENT	WAIST CIRCUMF	PELVIS CIRCUMF.	THIGH CIRCUMF.	ARM OUTSIDE	INSIDE LEG LENGHT	WEIGHT	HEIGHT
INTERN. SIZES	UK	US	TG	A	В	С	D	F	L	KG	CM
	6	2	38	78-81	60-63	84-87	51-52	55-58	71-73	45-49	160-162
XXS	0		40	82-85	64-67	88-91	52-53	56-59	72-74	50-54	162-164
XS	8	4	42	86-89	68-71	92-95	53-54	57-60	73-75	55-59	164-166
S	8		44	90-93	72-75	96-99	55-56	58-61	74-76	60-64	166-168
М	10	6	46	94-97	76-79	100-103	57-58	59-62	75-77	65-69	168-170
L	10		48	98-101	80-83	104-107	59-60	60-63	76-78	70-74	170-172
	12	8	50	102-105	84-87	108-111	61-62	61-64	77-79	75-79	172-174


Please note that this table is only intended as a guide	
and can differ from	

WIDTH CM	17	18,3	19,7	21	22,3	23	23,7	24,3	25	25,7	26,3	27	27,7	28,3	29	29,6	30,3	31	31,6
EUROPE	26	28	30	32	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	11	12	13	1	2	2,5	3,5	4	5	5,5	6,5	7	8	9	9,5	10,5	11	12	13
USA	9,5	11	12,5	1	3	3,5	4,5	5	6	6,5	7,5	8	9	10	10,5	11,5	12	13	14



manufacturers measumeren

					A					
SIZES	4	5	6	7	8	9	10	11	12	13
INCH.	6,3-6,7	6,7-7	7-7 1⁄2	7½-8	8-81⁄2	81/2-8,9	8,9 - 9,2	9,2 - 9,6	9,6 - 9,8	9,8 - 10
СМ	16-17	17-18	18-19	19-20,5	20,5-21,5	21,5-22,5	22,5-23,5	23,5-24,5	24,5-25	25-25,5
USA	YXS	XXXXS	XXXS	XXS	XS	S	М	L	XL	XXL



# GENERAL MEASURES Height cm A CHEST CIRCUMFERENCES H EXTERNAL LEG Run tape measure under armpit, put in the Run tape from waist to ankle bone. position, arms relaxed at your sides. B WAIST CIRCUMFERENCE INTERNAL LEG Run tape measure around waist horizontally, Run tape from crotch to internal ankle bone. arms at your sides HIPS CIRCUMFERENCE M BASE OF NECK TO WAIST

Run tape measure around hips at the widest

D THIGH CIRCUMFERENCE

Measure the largest part of the thigh. Tape

Arms at your sides, run tape measure from

Start the measurement from shoulder bone,

running around elbow (arm flexed) ending at wrist.

G FRONTAL CHEST LENGTH


Take the measure starting from the notch of

the neck down to below the crotch

SHOULDER WIDTH

F SLEEVE LENGTH

point, arms at your sides. (1820 cm under waist point.)



of the calf.

Run the tape measure from lower vertebra of the neck to the waist.	Run the tape measure around the wrist bo
N NECK CIRCUMFERENCE	U CHEST WIDHT
cm:	cm:
Run your tape measure around the neck at the thickest point.	Arms at your sides, run tape measur from armpit to armpit.
O BICEP CIRCUMFERENCE	V BACK WIDTH
cm:	cm:
Run the tape measure around the widest point of the biceps.	Arms at your sides, run tape measure from armpit to armpit.
P TORSO LENGTH	Z ANKLE CIRCUMFERE
cm:	cm:
Starting from the notch of the neck in front, run tape through crotch to base of neck in back.	Run the tape measure around the ani
Q CALF CIRCUMFERENCE	We recommend sending photos
cm:	full figure in the positions showr to better understand the distr of your measurements.

arms at your sides.

R NECK TO WAIST (FRONT)

Run tape measure from notch of the neck

S FOREARM CIRCUMFERENCE

Run tape measure around waist horizontally,

WRIST CIRCUMFERENCE







MT0100008AR804C



MT0100008AR166C



MT0100008CE

MT0100008AR149



MT0100008AZ

MT0100008GL







MT0100008RS201C

# **SUPERLEGGERA**

MT0100008NR



# **COMPETITION • LADY • VINTAGE**



# **FUTURA**

MT010047LB0	MT010047LGR423C	MT010047LNR	MT010047BM116B	MT010047LBM	MT010047LBEL	MT010047LAZ
MT010047LVF	MT010047LGF	MT010047LRCI	MT010047LPINK			

SPRINT						
MT010047LB0	MT010047LGR423C	MT010047LNR	MT010047BM116B	MT010047LBM	MT010047LBEL	MT010047LAZ
MT010047LVF	MT010047LGF	MT010047LRCI	MT010047LPINK			

# **ADVENTURE**

MT0100008WB0	MT0100008WGRS	MT0100008WNR	MT0100008WBM	MT0100008WRS		
ICE VEST						
MT0100008B0	MT0100008GRL	MT0100008GR423C	MT0100008GR431C	MT01000087545C	MT0100008GRS	MT0100008GR152



MT0100008NR

MT0100008AMR







MT0100008CE



MT0100008AZ

MT0100008BM



MT0100008B0	MT0100008GRL	MT0100008GR423C	MT0100008GR431C	MT01000087545C	MT0100008GRS	MT0100008GR152
MT0100008AMR	MT0100008VDLT	MT0100008MG	MT0100008285C	MT0100008CE	MT0100008AZ	MT0100008BM
MT0100008RS201C	MT0100008RS	MT0100008AR804C	MT0100008AR166C	MT0100008AR149	MT0100008GL	MT0100008GF
_						



# **SUPERLEGGERA**

## **HOMOLOGATION:**

FIA 8856-2018 SFI 3.2A/5 **SIZES:** 48-66 **CUSTOMIZATION:** 

- CUSTOM EASY
- ON DEMAND



# PRIME

## **HOMOLOGATION:**

FIA 8856-2018 SFI 3.2A/5 **SIZES:** 48-66 **CUSTOMIZATION:** ON DEMAND



# **INFINITY 5.0**

# **HOMOLOGATION:**

FIA 8856-2018 SFI 3.4/5 ON DEMAND SIZES: ON DEMAND **CUSTOMIZATION:** ON DEMAND



SFI 3.2A/1 SIZES: S-XXL **CUSTOMIZATION:** NOT CUSTOMIZABLE

HOMOLOGATION:

ONE



# **ADVENTURE JACKET**

**CUSTOMIZATION:** 

# HOMOLOGATION: FIA 8856-2018 **SIZES:** 48-66

ON DEMAND

# ICE **VEST**

SIZES: XS-3XL **CUSTOMIZATION:** ON DEMAND





# COMPETITION

# **HOMOLOGATION:**

FIA 8856-2018

SFI 3.2A/5 **MAN SIZES:** 48-66 LADY SIZES: 36-50 **CUSTOMIZATION:** ON DEMAND























# **HOMOLOGATION:**

FIA 8856-2018 SFI 3.2A/5 **SIZES:** 48-66 **CUSTOMIZATION:** ON DEMAND



**FUTURA** 

HOMOLOGATION: **SIZES:** 48-66 CUSTOMIZATION:

ON DEMAND



# **SPRINT**

# **HOMOLOGATION:** FIA 8856-2018

SFI 3.2A/5 **SIZES:** 48-66

- **CUSTOMIZATION:** CUSTOM EASY
- 3D CONFIGURATOR
- ON DEMAND















**HOMOLOGATION:** FIA 8856-2018 - SFI 3.2A/5 SIZES: 48-66 CUSTOMIZATION: CUSTOM EASY / ON DEMAND



# HIGHLIGHTS



Extraction handle.



Large rear stretch panel.



**LADY FIT** ON DEMAND

# LIGHTNESS UNMATCHED





001142..BMBI

001142..NBAZ

001142..NRGR

001142..GSGF

HOMOLOGATION: FIA 8856-2018 - SFI 3.2A/5 SIZES: 48-66 CUSTOMIZATION: ON DEMAND



# HIGHLIGHTS



Full floating 360° Arm Gussets.



Large rear stretch panel.



**LADY FIT** ON DEMAND

# MAXIMUM LEVEL OF PERFORMANCE



001146..BI



001146..NR

T. Reddick

NASCAR Cup Series

# HIGHLIGHTS

HOMOLOGATION: FIA 8856-2018 - (SFI 3.4/5 ON DEMAND) SIZES: 48-66 CUSTOMIZATION: ON DEMAND



Extraction handle.



Elasticated rear and side inserts.



Sublimation printing graphics.





Unlimited creativity thanks to the latest technology in sublimation printing.

New light compound (2 layers).





0011030..GSGF

HOMOLOGATION: FIA 8856-2018 - SFI 3.2A/5 SIZES: 48-66 / COMPETITION LADY 36-50 CUSTOMIZATION: ON DEMAND





# HIGHLIGHTS



Extraction handle.



Large rear stretch panel.



**LADY FIT** 

# COMPETITION READY








——— COMPETITION LADY——— 001144L..BRNR 001144L..NRRB

MANUFACTURER: SPARCO MODEL: R579 HOM. NO: DC.290.22-O FIA STANDARD: 8856-2018






- LCA (Life Cycle Assessment) certified.
- 21% REDUCTION of the impact on climate change.\*
- ZERO WASTE.\*

\*Value to be compared to a traditional production. The reduction equals the amount of CO2 released into the environment traveling approx. 58 km by car.
\*\*Target achieved through the regeneration of the fibers used in mass production.

# HIGHLIGHTS



Extraction handle made in regenerated FULL EFFICIENCY material.



Mid layer and lining made with FULL EFFICIENCY regenerated fabric.



Reinforcements in sparco® FULL EFFICIENCY regenerated fabric. Inner thigh stretch insert.

# GREEN LIGHT



001155..NRVF

FULL EFFICIENCY zero-waste foldable suit bag included.










001155..RS



001155..NRGF



# HIGHLIGHTS



Extraction handle.



Large rear stretch panel.



**LADY AND KID FIT** ON DEMAND

# VALUE & PERFORMANCE



001093..NRRS



001093..RSNR



001093..BELN



001093..BMBI

001093..NRVF

ONE

HOMOLOGATION: SFI 3.2A/1 SIZES: S-XXL CUSTOMIZATION: NOT CUSTOMIZABLE

HOMOLOGATION: FIA 8856-2018 - SFI 3.2A/5 SIZES: 48-66 CUSTOMIZATION: ON DEMAND

# HIGHLIGHTS



Original Sparco epaulets.



Form fitting rear elastic.



Period correct front belt.

# RETRO STYLE WITH MODERN TECHNOLOGY

**APPROVED** 

MANUFACTURER: SPARCO MODEL: R567 HOM. NO: DC.163.21-O FIA STANDARD: 8856-2018



001144V..BI

# HIGHLIGHTS



Extraction handle.



Form fitting rear elastic.



Adjustable ankle closure.

# SINGLE LAYER PROTECTION





001059NRAZ..

001059NRBI..

.

HOMOLOGATION: FIA 8856-2018 SIZES: XS-3XL CUSTOMIZATION: ON DEMAND









Outer material waterproof with flame retardant PTFE membrane.



Foldaway hood.



Transfer print decorations.





001049BM..

SIZES: XS-3XL CUSTOMIZATION: ON DEMAND



# HIGHLIGHTS



Breathable openwork lining.



Inside pockets with invisible zip and waterproof membrane.




Cooling inserts reusable.



001014SI..







# MADE IN ITALY





001789MBO..



UNDERWEAR INDEX



001789PNR.

**RW-10** SHIELD PRO HOMOLOGATION: FIA 8856-2018 SFI 3.3





















RW-4

SFI 3.3

**GUARD** 

**HOMOLOGATION:** 

FIA 8856-2018





PISTA BALACLAVA . NEW

001409BO

001410BO

HOMOLOGATION:

RW-7 DELTA NEW

RACING UNDERGARMENTS

001523NR..

HOMOLOGATION: FIA 8856-2018

**BALACLAVA** 

HOMOLOGATION:

FIA 8856-2018

SFI 3.3

FIA 8856-2018

SFI 3.3



001787

**RW-7 DELTA SOCKS** 

HOMOLOGATION:

FIA 8856-2018

001409NR

001410NR



**RW-10 SHIELD PRO BALACLAVA** 

soarco

001407BO

**RW-4 GUARD BALACLAVA** 

001487BI

001407NR

**NOT FIA** 

001407BM

HOMOLOGATION: FIA 8856-2018

HOMOLOGATION: FIA 8856-2018

SFI 3.3

SFI 3.3



001790

001488BI

**RW-7 DELTA** HOMOLOGATION: FIA 8856-2018

SFI 3.3

32



001769PBO..

001786MBO..





001782MBI..











HOMOLOGATION:

FIA 8856-2018

**RW-4 GUARD SOCKS** 








001711BBI.. 001523BI..

Sparco

MOTUL

**HOMOLOGATION:** FIA 8856-2018 - SFI 3.3



□ 001789MBO...

■ 001789MNR...



- Fully seamless structure.
- Ultra-light construction.
- X-COOL treatment, reactive cooling and anti-bacterial.
- Transfer print logos.
- Material: 48% Meta-Aramid, 48% Modal Viscose, 4% Elastane.



□ 001789PBO...



Material: 48% Meta-Aramid,


4% Elastane.

■ 001789PNR..



## SIZES:

XS-S-M-L-XL-XXL-3XL



- X-COOL treatment, reactive cooling and anti-bacterial.
- Transfer print logos.
- 48% Modal Viscose,

Oracle Red Bull Racing Team

F1 2023 Runner-Up

# HOMOLOGATION: FIA 8856-2018 - SFI 3.3

# SIZES:

XS - S/M - L/XL - XXL

- Seamless construction.
- X-COOL treatment, reactive cooling and anti bacterial.
- Material: 69% Modal Viscose, 28% Meta-Aramid, 2% Elastane, 1% Antistatic fiber.







001786MBO..

001786MNR..

001786MGR..

001786MBM..

SIZES:

XS - S/M - L/XL - XXL

- Seamless construction.
- X-COOL treatment, reactive cooling and anti-bacterial.
- Material: 69% Modal Viscose, 28% Meta-Aramid, 2% Elastane 1% Antistatic fiber.












001786PBO..

001786PNR..


001786PGR..

001786PBM..

37



# HOMOLOGATION: FIA 8856-2018 - SFI 3.3







001780MNR..



# SIZES:

XS/S - M/L - XL/XXL

- "Body-size" fibre knit structure.
- No side seams for maximum comfort.
- Stretch rib collar.
- X-COOL treatment, reactive cooling and anti-bacterial.
- Composition: 57% viscose, 38% Meta-Aramid, 3% Polyamide, 2% Elastane.



001781PBO..



001781PNR..



## SIZES:

XS/S - M/L - XL/XXL

- "Body-size" fibre knit structure.
- Ribbed stretch band.
- X-COOL treatment, reactive cooling and anti-bacterial.
- Composition: 57% viscose, 38% Meta-Aramid, 3% Polyamide, 2% Elastane.

# HOMOLOGATION: FIA 8856-2018 - SFI 3.3



XS-S-M-L-XL-XXL-3XL



- Simplified and optimised structure.
- Regular fit.
- Composition: 60% modacrylic, 40% cellulose.





**APPROVED** 

MANUFACTURER: SPARCO MODEL: R574 HOM. NO: DC.204.21-L FIA STANDARD: 8856-2018

001782MBI..

# SIZES:

XS-S-M-L-XL-XXL-3XL

- Soft-touch interlock construction.
- Simplified and optimised structure.
- Regular fit.
- Composition: 60% modacrylic, 40% cellulose.





# **RW-4 NOT FIA**

## SIZES:

S-M-L-XL-XXL

Low neck T-shirt. • Soft-touch interlock construction.





S-M-L-XL-XXL

Bermuda.

Soft-touch interlock construction.



001797BI.. 001711BBI..

MODEL: R574 HOM. NO: DC.205.21-B FIA STANDARD: 8856-2018

interlock construction.

Soft-touch

 Simplified and optimised structure.

Composition:

60% modacrylic, 40% cellulose.

# UNDERGARMENTS

# NEW BALACLAVA PISTA

BALACLAVA RW-10 SHIELD PRO

## ONE SIZE

ONE SIZE









MANUFACTURER: SPARCO

- FIA 8856-2018 SFI 3.3 approved fireproof balaclava.
- Composition: 62% VISCOSE 31% (META)ARAMID 5% XLANCE 2% (PARA)ARAMIDE.
- Balaclava with features derived from F1: microphone holder, cable glands and ultra-flat seams.

Opening for drink system.

• Extra-flat offset crown seams.

• Material: 69% Modal Viscose,

1% Antistatic fiber, 2% Elastane.

• Seamless front chin.

• Double layer on front.

28% Meta-Aramid.

# **BALACLAVA RW-4 GUARD NOT FIA**

### ONE SIZE



001488BI

Single-layer balaclava. • Soft-touch interlock construction.

# 001487BI

BALACLAVA RW-4 GUARD

ONE SIZE

soarco

RACE UNDERGARMENTS (FIA COMPLIANT)

- FIA approved 8856-2018 undergarment.
- No stitching on the front.
- Material: 55% modacrylic, 45% cotton.

# RACE SPORT BRA





SIZES: XS - S - M - L

**LADY RACE SHORTS** 

001788BI..

# **BALACLAVA RW-7 DELTA**

001407B0

## ONE SIZE



001407NR

001407BM

001410BO 001410NR



MODEL: R563 HOM. NO: DC.124.21-B FIA STANDARD: 8856-2018

- FIA 8856-2018 SFI 3.3 approved fireproof balaclava.
- Composition: 57% VISCOSE, 38% (META) ARAMIDE, 3% PARA(ARAMIDE), 2% ELASTANE.
- Differentiated armor between front and back, knitted fibers in "BODY-SIZE" structure, improved eye hole stitching for greater comfort.

# **MEN RACE BOXER**





MEN RACE SLIP





001787BI...



# 001785BI..

SIZES: XS - S/M - L/XL - XXL

SIZES: XS - S/M - L/XL - XXL

001790Bl..

SIZES:

# RW-10 EVO SOCKS

38/39 - 40/41 - 42/43 - 44/45 - 46







- MODEL: R572 HOM. NO: DC.207.22-S FIA STANDARD: 8856-2018 • Unique helical structure provides gradual compression.
- Added compression for arch support.
- Reinforced, durable foot bed.
- Darned heel and toe.
- Material: 67% viscose, 27% Meta-Aramid, 5% Elastane, 1% antistatic fibre.

# RACE ELBOW PADS

• Fireproof stretch outer material.

SIZES:

S-M-L

■ En1621-1: 2012 / level 2 certified pu padding



001571NR..

SIZES: S - M - L

RACE KNEE PADS

• Fireproof stretch

outer material.

certified pu padding.



001561NR..

# **RW-7 DELTA SOCKS**

## SIZES:

38/39 - 40/41 - 42/43 - 44/45 - 46



001522BI..





001522NR..

MANUFACTURER: SPARCO MODEL: R560 HOM. NO: DC.039.19-S FIA STANDARD: 8856-2018

- Supportive ribbed calve construction.
- Jersey foot bed and arch support.
- Darned heel and toe.
- Composition: 67% Meta-Aramid, 27% viscose, 6% Elastane

# **RW-4 GUARD SOCKS**

## SIZES:

36/37 - 38/39 - 40/41 - 42/43 - 44/45 - 46



□ 001516BI..



MANUFACTURER: SPARCO MODEL: R573 HOM. NO: DC.230.22-S

- Supportive ribbed calve construction.
- Jersey foot bed and arch support.
- Darned heel and toe.
- Composition: 100% Meta-Aramid.

# **NEW** ARM RESTRAINT BELT

- Arm restraint system recommended for open cars. SFI 3.3 approved.
- Aluminum D-ring for weight reduction with square section for better grip.
- Sparco logo on printed ribbon.







001605SETAZ





001605SETRS

# X-COOL RECHARGE

The X-COOL recharge allows the extension of the refreshing treatment on suits and underwear.

The application can be done with a normal wash in the washing machine.



001157RECHARGE

44



# INDEX SHOES

# MADE IN ITALY

# PRIME EXTREME . NEW

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: ULTRALIGHT SUBLIMATED FABRIC **SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER + CARBON SIZES: 37-47 CUSTOMIZATION: ON DEMAND



0012A9..BMRS

0012A9SP01

# SUPERLEGGERA .

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: SUBLIMATED FABRIC AND JACQUARD FABRIC **SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER + CARBON SIZES: 37-48 CUSTOMIZATION: ON DEMAND



0012A3..BINR



0012A3..NRBI



0012A3..NRRS



0012A3..NRGF

0012A3SP01

## PRIME EVO LITE NEW

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: ULTRALIGHT SUBLIMATED FABRIC WITH JACQUARD INSERTS **SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER + CARBON SIZES: 37-48 CUSTOMIZATION: ON DEMAND



0012B1SP



0012B1SP01

# PRIME EVO

HOMOLOGATION: FIA 8856-2018

MATERIAL: KANGAROO LEATHER WITH JACQUARD INSERTS **SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER + CARBON

SIZES: 37-48 CUSTOMIZATION: ON DEMAND



48

001297..BI



001297..RS





# X-LIGHT+

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 ON DEMAND MATERIAL: KANGAROO LEATHER AND JACQUARD FABRIC **SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER + CARBON SIZES: 39-46 CUSTOMIZATION: ON DEMAND









001278..BINR

001278..NR

001278..NRRS

001278..NRAF

001278 NDGE

# X-LIGHT

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 (ON DEMAND) MATERIAL: TUMBLED LEATHER AND PU LEATHER **SOLE:** TPU FR + EVA SIZES: 37-48 CUSTOMIZATION: ON DEMAND









001283..BIRS

001283..NRGR

001283..GRAF

001283.. NRGF

# **FORMULA**

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: TUMBLED LEATHER

**SOLE: OIL AND HYDROCARBON RESISTANT RUBBER** 

SIZES: 37-48 (32-34-36-49-50 ON DEMAND) CUSTOMIZATION: ON DEMAND





001296..NRBI



001296..NRRS



001296..BXB

# SKID

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: TUMBLED LEATHER AND PU LEATHER **SOLE:** TPU FR + EVA SIZES: 37-48 CUSTOMIZATION: ON DEMAND









001275..BNBI

# CHRONO NEW

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: SMOOTH GENUINE LEATHER WITH PERFORATED SUEDE **SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER + PHYLON SIZES: 38-48 CUSTOMIZATION: ON DEMAND





0012B2..NRNR

0012B2..NRRS

# TOP

HOMOLOGATION: FIA 8856-2018 MATERIAL: CALF LEATHER **SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER SIZES: 37-48 CUSTOMIZATION: ON DEMAND





001287..RS



001287..NR

001287..BRFX

# **SLALOM+**

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: FULL SUEDE

**SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER

SIZES: 35-48 (28-30-32-34 ON DEMAND) CUSTOMIZATION: ON DEMAND







001274..NR

SLALOM

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: FULL SUEDE **SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER **SIZES:** 36-48





001295..NRRS







001295..NRVF

**FUTURA** 

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: FULL EFFICIENCY CLOTHES **SOLE:** OIL AND HYDROCARBON RESISTANT RUBBER SIZES: 36-48 CUSTOMIZATION: ON DEMAND







0012A4..GRVF



HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 198 GR. (SIZE 42) SIZES: 37-47 CUSTOMIZATION: ON DEMAND



NEW



# HIGHLIGHTS

- Upper made with printable and ultralight fabric.
- Viscose blend lining, light and breathable.
- Ultra light external laces.
- Oil and hydrocarbon resistant rubber thin sole with back spoiler.
- Flexible carbon insole for the best pedal feeling.
- Protective lateral insert sponge.



Transparent silicone reinforcement



For the best protection and stability during the race.





Real flexible carbon insole with differentiated areas.



0012A9..BMRS



0012A9SP01

.

SIM R/ CHA

CLOTHING

FESTYLE

TEAMW 6 LIFEST CAPSU

**5** 

HOMOLOGATION: FIA 8856/2018 - SFI 3.3/5 WEIGHT: 240 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: ON DEMAND



# HIGHLIGHTS

- Upper in printable fabric with transparent silicone reinforcements.
- Jacquard sock for maximum fit ond breathability.
- External lacing.
- Sole with extended rear spoiler to ensure support while driving.
- Carbon sole with differentiated areas.



Jacquard sock for maximum fit ond breathability



For the best protection and stability during the race.



Real flexible carbon insole with differentiated areas.



0012A3..NRGF








0012A3SP01 0012A3..NRBI

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 200 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: ON DEMAND



# HIGHLIGHTS

- Upper made with printable and ultralight fabric.
- Light and breathable lining.
- Sigle-layer stretch jacquard on back insert and tongue.
- Ergonomic footbed.
- Padding on ankle area.
- Quick strap closure with ultra-flat perforated tape.
- Oil and hydrocarbon resistant rubber thin sole with back spoiler.
- Flexible carbon insole for the best pedal feeling.
- Protective lateral insert sponge.
- Transparent silicone reinforment.



Real flexible carbon insole with differentiated areas.



For the best protection and stability during the race.





0012B1SP01

57

HOMOLOGATION: FIA 8856-2018 WEIGHT: 210 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: ON DEMAND

# HIGHLIGHTS

- Quick strap closure with ultra-flat perforated tape.
- Kangaroo leather upper with inkjet print.
- Breathable lining.
- Ergonomic footbed.
- Oil and hydrocarbon resistant rubber thin sole.



Single-layer stretch jacquard tongue.



Single-layer stretch jacquard.



Real flexible carbon sole with differentiated areas.






001297..BMRS

001297..RS



001297..NR

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 (ON DEMAND) WEIGHT: 220 GR. (SIZE 42) SIZES: 39-46 CUSTOMIZATION: ON DEMAND



# HIGHLIGHTS

- Rollable ankle fabric with lace flap.
- Ultra-light external closure.
   Supplied with double laces.
- Jaquard uppers.
- Printed kangaroo leather.
- Thin rubber sole with differentiated grip zones.



Protective 3D texture.



High abrasion-resistant leather heel.



Real flexible carbon sole with differentiated areas.



001278..BINR 001278..NRGF



001278..NRRS





# HIGHLIGHTS

- Flat, light glossy laces.
- Elasticated jaquard rear insert.
- Strong and ultra-light Kevlar loops.
- Silkscreen printed tumbled calfskin uppers.
- Perforations for maximum breathability.
- Comfortable insole.
- TPU FR sole with differentiated grip texture.



Rollable jaquard tongue with lace flap.



High abrasion-resistant leather inserts.







001283..BIRS

001283..NRGF





001283..NRGR



HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 300 GR. (SIZE 42) SIZES: 37-48 (32-34-36-49-50 ON DEMAND) CUSTOMIZATION: ON DEMAND



SEATS

ARNESSES ERING WHEE

HANICS

Σ⊢

SUIT

ES/GLOVE? DTECTIONS

EATS NESSES


ACING

SIM R

CLOTHING

IFESTYLE APSULE

TEAM 6 LIFE



# HIGHLIGHTS

- Tumbled calfskin uppers silkscreen printed.
- Adjustable strap with ultra-flat tape.
- Breathable lining.
- Single-layer stretch jacquard back insert.
- Foam footbed.
- Oil and hydrocarbon resistant rubber sole.



Quick lacing system.



Perforations for maximum breathability.





<u>sparco</u>








...IRBI 001290..IIRR


HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 310 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: ON DEMAND




# HIGHLIGHTS

- Elasticated rear insert.
- Breathable lining.
- Comfortable insole.
- TPU FR sole with differentiated grip texture.







Ultra resistant Kevlar loops.






001275..RSNR





001275..BNBI

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 490 GR. (SIZE 42) SIZES: 38-48 CUSTOMIZATION: ON DEMAND



# HIGHLIGHTS

- Upper made of tumbled leather with perforated areas and suede reinforcement inserts.
- Breathable and fresh lining.
- Shock-absorber footbed.
- Strap on ankle.
- Rubber and phylon sole for maximum grip and comfort.



Quick closing system with lateral rotor and high-strength steel cable.



Reflective prints for maximum safety in all visibility conditions.









0012B2..NRRS

ı

S

HARNI

TECHANICS TECHNICAL

-

SUITS NDERWEA

/ GLOVES ECTIONS

SEATS HARNESSE

RACING

<u>...</u>

CESSORIE


FESTYLE

CAPSUL

OUTLE

HOMOLOGATION: FIA 8856-2018 WEIGHT: 385 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: ON DEMAND





## HIGHLIGHTS

- Breathable lining.
- Embroidered logos.
- Natural leather insole.
- Oil and hydrocarbon resistant rubber sole.



Adjustable ultra-flat strap.



Suede with smooth leather inserts.





ebarco,





001287..BRFX



HOMOLOGATION: FIA 8856/2018 - SFI 3.3/5 WEIGHT: 420 GR. (SIZE 42) SIZES: 36-48 CUSTOMIZATION: ON DEMAND



- LCA (Life Cycle Assessment) certified.
- 39% REDUCTION of the impact on climate change.\*
- 80% of regenerated fibers (on upper).
- ZERO WASTE.\*\*

## HIGHLIGHTS

- Super-breathable upper in FULL EFFICIENCY black melange fabric.
- Sole with excellent grip.
- Comfortable and suitable for track-day.



Sparco® FULL EFFICIENCY fabric.



Three-dimensional knit lining built with FULL EFFICIENCY yarn.



0012A4..GRVF

0012A4..GRBI







- Perforated suede leather uppers.
- Breathable lining.
- Perforated tongue.
- Comfortable insole.
- Oil and hydrocarbon resistant rubber sole with differentiated grip zones.



Reinforced toe.



High abrasion-resistant reinforced leather heel.






001274..RS








HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 350 GR. (SIZE 42) SIZES: 36-48





## HIGHLIGHTS


- Embroidered logos.
- Side leather insert with printed logo.
- High resistance glossy round laces.
- Leather insole.
- Oil and hydrocarbon resistant rubber sole.



Embroidered suede leather uppers.



Fabric back insert.





001295..NR





001295..NRRS



## **GLOVES INDEX**

#### TIDE

**HOMOLOGATION:** FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: HTX - VULCANO PRECURVED: YES **SEAMS: EXTERNAL SIZES:** 8-13 **CUSTOMIZATION: ON DEMAND** 









ARROW+ NEW

HOMOLOGATION: FIA 8856-2018 NEW REQUIREMENTS COMPLIANT - SFI 3.3/5 PALM COMPOSITION: HTX - FLAT PRECURVED: YES SEAMS: EXTERNAL (NO THUMBS) **SIZES:** 7-13 **CUSTOMIZATION: ON DEMAND** 





ARROW

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: HTX - FLAT PRECURVED: YES **SEAMS:** EXTERNAL (NO THUMBS) **SIZES:** 7-13 CUSTOMIZATION: ON DEMAND











001314..NRBI

#### LAP

HOMOLOGATION: FIA 8856-2018 NEW REQUIREMENTS COMPLIANT - SFI 3.3/5 PALM COMPOSITION: SILICONE PRECURVED: YES SEAMS: MIXED **SIZES:** 7-13 **CUSTOMIZATION: ON DEMAND** 









FUTURA

HOMOLOGATION: FIA 8856-2018 NEW REQUIREMENTS COMPLIANT - SFI 3.3/5 PALM COMPOSITION: SILICONE PRECURVED: NOT SEAMS: MIXED SIZES: 8-13 CUSTOMIZATION: ON DEMAND











LAND+

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: SILICONE PRECURVED: NOT **SEAMS: INTERNAL SIZES:** 8-13 **CUSTOMIZATION: ON DEMAND** 









LAND

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: SUEDE PRECURVED: NOT **SEAMS: INTERNAL** SIZES: 8-13 / 4 AND 6 ON DEMAND **CUSTOMIZATION:** ON DEMAND









LAND CLASSIC


HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: SUEDE PRECURVED: NOT **SEAMS:** INTERNAL **SIZES:** 8-13 **CUSTOMIZATION:** FROM STOCK





HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 8-13 CUSTOMIZATION: ON DEMAND


MANUFACTURER: SPARCO MODEL: TIDE HOM. NO: DC.032.19-G FIA STANDARD: 8856-2018



- Precurved glove.
- Aramid jersey fabric.
- Thumb joined to back.
- External seams.
- Touch-S on index finger and thumb.
- Internal wrist stitching.







HTX 3D Volcano palm with differentiated zones.



Ergonomic seam on thumb.







001356..BINR








001356..RSNR 001356..AZBI

HOMOLOGATION: FIA 8856/2018 - SFI 3.3/5 SIZES: 7-13 CUSTOMIZATION: ON DEMAND

4 Fil



## HIGHLIGHTS

- Precurved glove.
- Ergonomic stitching on the thumb.
- External seams on the fingers.
- HTX flat palm.
- Touch-S on index finger and thumb.







HTX flat palm.



Touch-S on index finger and thumb.

Compliant to the new FIA 8856-2018 heat transmission requirements.









001319..NRBI 001319..BINR





## HIGHLIGHTS

- Precurved glove.
- Ergonomic seam on thumb.
- Aramid jersey fabric.
- External seams.







HTX flat palm.



Touch-S on index finger and thumb.











001314..BINR






eparco



HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 7-13 CUSTOMIZATION: ON DEMAND

TEAMWE & LIFEST CAPSUI



## HIGHLIGHTS

- Differentiated external and internal stitching on fingers.
- External stitching on thumb.
- Back joined with the thumb.



New silicone palm for maximum grip on the wheel.



Single-layer stretch wrist insert



Best matching with the new Competition seamless elastic sleeves.

Compliant to the new FIA 8856-2018 heat transmission requirements.






001316..BINR











- VIRTUOUS CIRCULAR PRODUCTION CYCLE
- ZERO WASTE TARGET
- MORE THAN 51% OF REGENERATED FIBERS
- FULLY OWNED TECHNOLOGY

## HIGHLIGHTS

- Palm with external seams and fingers with internal seams for maximum comfort.
- Straight cut cuff.



Full Efficiency three-dimensional knit lining.



Silicon palm to ensure maximum grip on the steering wheel.

Compliant to the new FIA 8856-2018 heat transmission requirements.





001365..NRGF

001365..BINR






001365..NRVF



FULL EFFICIENCY zero-waste gloves bag included.

001365..NRBI



- Internal seams.
- Palm joined with thumb.



Palm with silicone inserts.



Printed graphics.



Straight cut cuff.





001362..GF




001362..EB 001362..RS





001362..NR

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 8-13 / 4 AND 6 ON DEMAND CUSTOMIZATION: ON DEMAND



- Straight cut cuff.
- Internal seams.



Printed graphics.



Palm with suede inserts.



Elastic on wrist.






001363..GF







HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 8-13 CUSTOMIZATION: FROM STOCK



- Internal seams.
- New back with Sparco patch.



Patch with embroidered Sparco logo.



Palm with suede inserts.



Straight cut cuff.







## HELMETS INDEX

#### MADE IN ITALY

#### FIA 8860-2018 / SNELL SA 2020

#### PRIME RJ-i SUPERCARBON 8860-2018 ■

HOMOLOGATION: FIA 8860-2018 MATERIAL: HIGH TENSILE CARBON FIBER - HANS® CLIPS SIZES: XS-XL







FIA 8859-2015 / SNELL SA 2020

#### RJ-i CARBON ■ ■

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020 MATERIAL: CARBON - HANS® CLIPS SIZES: XS-XL







003371ZRS 003371ZNR

RJ-i

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020 MATERIAL: FIBERGLASS / CARBON-KEVLAR - HANS® CLIPS









### FIA 8859-2015 / SNELL SA 2020

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020 MATERIAL: FIBERGLASS / CARBON-KEVLAR - HANS® CLIPS SIZES: XS-XXL



003370BI

#### ECE 22-06

#### J-PRO NEW

HOMOLOGATION: ECE 22-06 MATERIAL: SHELL COMPLYING WITH THE NEW ECE 22-06 STANDARD SIZES: S-XXL





003379NR..

#### FIA 8860-2018 / SNELL SA 2020

#### PRIME RF-10W SUPERCARBON 8860-2018 ■■

**HOMOLOGATION:** FIA 8860-2018 ABP - FIA 8860-2018 / SNELL SA 2020 MATERIAL: HIGH TENSILE CARBON FIBER - HANS® CLIPS SIZES: XS-XL





FIA 8859-2015 / SNELL SA 2020

AIR PRO RF-5W

SIZES: XS-XXL

ECE 22-06

SIZES: S-XXL

X-PRO NEW

HOMOLOGATION: ECE 22-06

#### SKY RF-7W CARBON

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020 MATERIAL: CARBON - HANS® CLIPS SIZES: XS-XL

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020

MATERIAL: FIBERGLASS / CARBON-KEVLAR - HANS® CLIPS

MATERIAL: SHELL COMPLYING WITH THE NEW ECE 22-06 STANDARD

















003378BI..

003378NR..

**FACE HELMETS** 

# PRIME RJ-i SUPERCARBON

HOMOLOGATION: FIA 8860-2018 SIZES: XS-XL







## HIGHLIGHTS

- High tensile carbon fiber shell.
- Double-sized shell and polystyrene with vents.
- New breathable fire retardant jersey available in different colour options.
- Ergonomic variable padding density.
- Military type connection through female Nexus integrated in the shell.
- New electronics with the adoption of earphones.
- Hans® clip.



Peak with removable insert for the installing of the adjustable sun visor.



Integrated microphone cover and semi-rigid arm with reduced bulk for easy adjustment and maximum visibility.



• Customizable, removable and washable interior.



003372ZRS.. 003372ZNR..

RJ-i SUPERCARBON		
XS	53-54	003372Z0XS
S	55-56	003372Z1S
М	57-58	003372Z2M
M+	59	003372Z3ML
L	60	003372Z4L
XL	61	003372Z5XL

OPTIONAL VISORS P.114







# **RJ-i CARBON**

HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020 SIZES: XS-XL







## HIGHLIGHTS

- Double-sized shell and polystyrene with vents.
- Pre-preg carbon fibre shell reinforced with carbon-kevlar layers.
- New breathable fireproof jersey available in different colour options.
- Military type connection through male Nexus (die-cast Nexus connector).
- Clip Hans®.





New peak design optimized for sun protection.



New intercom system with ear cups and noise canceling microphone.



003371ZRS..

		CA	RBON
eparco	XS	53-54	00337
	S	55-56	00337
	M	57-58	00337
	M+	59	00337
	L	60	00337
003371ZNR	XL	61	00337

PEAK + VISORS OPTIONAL P. 115











003371ZNR0XS 003371ZNR1S 003371ZNR2M 003371ZNR3ML 003371ZNR4L 003371ZNR5XL

HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020 SIZES: XS-XXL



HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020 SIZES: XS-XXL



### HIGHLIGHTS

- Double-sized shell and polystyrene with vents.
- Fiberglass shell reinforced with carbon-kevlar.
- New breathable fireproof jersey available in different colour options.
- Adjustable and washable interior.
- New peak design optimised for sun protection.
- New intercom system with ear cups and noise canceling microphone.
- Military type connection through male Nexus (die-cast Nexus connector).
- Hans® clip.



### HIGHLIGHTS

- Double-sized shell and polystyrene with vents.
- Fibreglass shell reinforced with carbon-kevlar.
- New breathable fireproof jersey.
- Adjustable and washable interior
- New peak design optimised for sun protection.
- Hans® clip.



RJ∙i		
XS	53-54	0033690XS
S	55-56	00336915
М	5 <i>7</i> -58	0033692M
M+	59	0033693ML
L	60	0033694L
XL	61	0033695XL
XXL	62	0033696XXL









003369NRRS.. 003369BI..

003369NR..

#### PEAK / VISOR OPTIONAL PG. 115



003369BIRS..



00304V01


















## PRIMERF-10W SUPERCARBON

HOMOLOGATION: FIA 8860-2018 ABP - FIA 8860-2018 SNELL SA 2020 SIZES: XS-XL








## HIGHLIGHTS

- ABP (Advanced Ballistic Protection), the Ultimate Safety Standard.
- Double-sized shell and polystyrene with vents.
- Stronger protection into the upper part of the helmet shell.
- Customizable, removable and washable interior.
- Ergonomic variable padding
- Ready for drink system.
- FIA homologated visor with 3 positions adjustment.
- Hans® clip.



High tensile carbon fiber shell.



ABP (Advanced Ballistic Protection).

#### FIA 8860-2018





003373ZRS..

SUPERCARBON		
XS	53-54	003373Z0XS
S	55-56	003373Z1S
М	57-58	003373Z2M
M+	59	003373Z3ML
L	60	003373Z4L
XL	61	003373Z5XL

FIA 8860-2018 ABP (ADVANCED BALLISTIC PROTECTION)



	SUPERCARBON - ABP		
XS	53-54	003376ZSP0XS	
S	55-56	003376ZSP1S	
M	57-58	003376ZSP2M	
M+	59	003376ZSP3ML	
L	60	003376ZSP4L	
XL	61	003376ZSP5XL	

#### **OPTIONAL VISORS**







HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020

**APPROVED** MANUFACTURER: VM SAFETY MODEL: SPARCO SKY RF-7W HOM. NO: PH.036.16-C FIA STANDARD: 8859-2015

HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020

**APPROVED** MANUFACTURER: VM SAFETY MODEL: SPARCO AIR RF-5W HOM. NO: PH.037.16-C FIA STANDARD: 8859-2015

### HIGHLIGHTS

Double-sized shell and polystyrene with vents.

SIZES: XS-XXL

- Carbon Fiber shell reinforced with carbon-kevlar.
- New breathable fireproof jersey available in different colour options.
- Adjustable and washable interior.
- Drink System Ready.
- FIA homologated visor with continuous adjustment.
- Hans® clip.



	CAR	BON
XS	53-54	003374Z0XS
S	55-56	003374Z1S
М	57-58	003374Z2M
M+	59	003374Z3ML
L	60	003374Z4L
XL	61	003374Z5XL
XXL	62	0033746XXL

00314V02









003374ZRS...

003374ZNR...

#### OPTIONAL VISORS P. 117









### HIGHLIGHTS

Double-sized shell and polystyrene with vents.

SIZES: XS-XXL

- Fiberglass shell reinforced with carbon-kevlar.
- New breathable fireproof jersey available in different colour options.
- Adjustable and washable interior.
- Drink System Ready.
- FIA homologated visor with continuous adjustment.
- Hans® clip.



RF-5W		
XS	53-54	0033750XS
S	55-56	00337518
М	57-58	0033752M
M+	59	0033753ML
L	60	0033754L
XL	61	0033755XL
XXL	62	0033756XXL



003375BIRS...

003375BI...

003375NRRS..

003375NR..

#### OPTIONAL VISORS P.117



00314V02









00314V06 00314V07

HOMOLOGATION: ECE 22-06 SIZES: S-XXL

## HIGHLIGHTS

- Shell complying with the new ECE 22-06 standard
- Hypoallergenic comfort lining material.
- Helmet suitable for kart hire and track days.



Dark visor optional **0032PROV01**.



## HIGHLIGHTS

- Shell complying with the new ECE 22-06 standard.
- Hypoallergenic comfort lining material.
- Helmet suitable for track day.
- Supplied with sun peak.



MATT BLACK		
S	55-56	003378NR1S
М	5 <i>7</i> -58	003378NR2M
L	59-60	003378NR3L
XL	61-62	003378NR4XL
XXL	63-64	003378NR5XXL

WHITE

XL 61-62

**XXL** 63-64

112

003378BI2M 003378BI3L

003378BI4XL

003378BI5XXL







003378NR..

eparco





MATT BLACK

S 55-56 003379NR1S

M 57-58 003379NR2M

L 59-60 003379NR3L

XL 61-62 003379NR4XL

XXL 63-64 003379NR5XXL

WHITE		
S	55-56	003379BI1S
М	57-58	003379BI2M
L	59-60	003379BI3L
XL	61-62	003379BI4XL
XXL	63-64	003379BI5XXL







003379NR..







003379BI..

113

SEATS

HARNESSES ERING WHEEL

TECHANICS TECHNICAL

S 0 4 1/

3LOVES

ATS

HARI

SIM RACING CHAIRS

HING

CLOTHING

FESTYLE APSULE

6 LIFE

# **OPEN FACE 8860-2018 HELMETS ACCESSORIES**

## **OPEN FACE 8859-2015** HELMETS ACCESSORIES



FIA 8860-2018 / SNELL SA 2020

CARBON NEW



00307Z

KIT COVER + MICHROPHONE CARBON NEW



00537043

**DARK** 

PEAKS/ SPARE PARTS



00314V11

BLUE IRIDIUM NEW



00314V14

RED IRIDIUM NEW



00314V15

TOP PADDING NEW





SIZES	BLACK	RED
XS	0032R02NR0XS	0032R02RS0XS
S	0032R02NR1S	0032R02RS1S
М	0032R02NR2M	0032R02RS2M
M+	0032R02NR3ML	0032R02RS3ML
L	0032R02NR4L	0032R02RS4L
XL	0032R02NR5XL	0032R02RS5XL

CHEEK PADDING NEW



THICKNESS	BLACK	RED
20 mm	0032RJ03NR20	0032RJ03RS20
25 mm	0032RJ03NR25	0032RJ03RS25
30 mm	0032RJ03NR30	0032RJ03NR30
35 mm	0032RJ03NR35	0032RJ03NR35

**REMOVABLE** CUPS NEW

00315K14



**RJ-i CARBON** 003371Z..

003369..



003370..

WHITE



FIA 8859-2015 / SNELL SA 2020

**CARBON** 



00319Z

**DARK** Fits only with 00319.



00304V01

**BLACK** 



00319NR

**BLUE IRIDIUM** Fits only with 00319..



00304V02

**RED IRIDIUM** Fits only with 00319.

00319BI



00304V03

**CARBON** 

Not compatible with visors



00316F08

**NERO** Not compatible with visors



00316F06

**BIANCO** Not compatible with visors



00316F07

**TOP PADDING** 



THICKNESS	BLACK
10 mm	0032R01XXL
15 mm	0032R01MMLLXL
15+5 mm	0032R01XXS

**CHEEK PADDING** 



THICKNESS	BLACK	RED
25 mm	0032RJ02NR25	0032RJ02
30 mm	0032RJ02NR30	0032RJ02
35 mm	0032RJ02NR35	0032RJ02

**REMOVABLE** CUPS NEW



# **FULL FACE 8860-2018** HELMETS ACCESSORIES

# **FULL FACE 8859-2015** HELMETS ACCESSORIES

0033747...

**AIR PRO** 003375..



PRIME RF-10W SUPERCARBON 8860-2018

#### **CLEAR**



00314V08

DARK



00314V09

BLUE IRIDIUM NEW



RED IRIDIUM NEW

00314V17

### FASTENER KIT NEW



00315K13

#### TOP PADDING NEW





SIZES	BLACK	RED
XS	0032R02NR0XS	0032R02RS0XS
S	0032R02NR1S	0032R02RS1S
M	0032R02NR2M	0032R02RS2M
M+	0032R02NR3ML	0032R02RS3ML
L	0032R02NR4L	0032R02RS4L
XL	0032R02NR5XL	0032R02RS5XL

#### CHEEK PADDING NEW



THICKNESS	BLACK	RED
20 mm	0032RF03NR20	0032RF03RS20
25 mm	0032RF03NR25	0032RF03RS25
30 mm	0032RF03NR30 0032RF03NR30	
35 mm	0032RF03NR35	0032RF03NR35

### **CLEAR**



00314V01

**DARK** 

00314V02

**BLUE IRIDIUM** 

00314V03

**SILVER IRIDIUM** 

00314V04

**RED IRIDIUM** Not FIA compliant



00314V06

**YELLOW** Not FIA compliant



00314V07

**SET OF 5 TEAR OFFS** 



00315K01





#### **TOP PADDING**



THICKNESS	BLACK
10 mm	0032R01XXL
15 mm	0032R01MMLLXL
15+5 mm	0032R01XXS

#### **CHEEK PADDING**



THICKNESS	BLACK	RED
25 mm	0032RF02NR25	0032RF02RS25
30 mm	0032RF02NR30	0032RF02RS30
35 mm	0032RF02NR35	0032RF02RS35
40 mm	0032RF02NR40	0032RF02RS40

# INTERCOM

**SYSTEMS** 

#### **NEW** IS-400

- Professional Digital Intercom control unit, made up of a main case and a remot unit with a 7" screen to manage all settings.
- Selectable noise filters.
- Customize voice equalization.
- Bluetooth telephone module.
- RCA connector for in-car camera
- AUX connector for telephone and radio.
- Detachable Male/Female Nexus Connectors.
- Stage mode with automatic switch off Bluetooth and Aux channels.
- USB-C connector for rechargable auxiliary.
- Road trip mode with partials and countdown (GPS opt antenna required cod.00537054).
- Average speed and instantaneous speed display (GPS antenna opt cod.00537054 required).

**GPS EXTERNAL** BUTTON OPT. ANTENNA OPT. 00537054 00537055



IS-400 F 00537046BTF



IS-400 M 00537046BTM

#### **NEW** 15-300

- Professional Digital intercom control unit with selectable noise filters.
- Volume independent setting Driver and Co-Driver.
- BlueTooth telephone module.
- Nexus Male/Female connectors with 2m cables.
- RCA connector for in-car camera.
- AUX connector for telephone and radio.
- Stage mode with automatic switch off Bluetooth and Aux channels.
- Power cable for connection to the 12V car battery.
- Rollcage or dashboard attachment.
- USB-C connector for rechargable auxiliary.



IS-300 F 00537047BTF



IS-300 M 00537047BTM

#### **NEW** IS-200

- New Professional analogic intercom control unit.
- Double potentiometer with independent Driver and Co-Driver volume.
- 6,3mm Jack Female connectors with 2m cables.(Nexus Female Connector for Plus version).
- RCA connector for in-car camera.
- Power cable for connection to the 12V car battery.
- 9V power supply with battery compartment.
- Automatic exclusion of the 9V battery in the presence of a 12V power supply.
- Rollcage or dashboard attachment.



**IS-200 PLUS** 00537048



**IS-200** 00537049

#### **NEW** RT- PRO HEADSET

New Sparco headset is design to improve noise reduction and high sound quality thanks to new speaker and microphone.

With Male and Female Nexus Connector.



RT PRO-F 00537050 RT PRO - M 00537053

119

#### GSM

- GSM control unit for clear and stable driver-pits communication.
- Magnetic GSM antenna.
- Antenna fixing bracket for plastic surfaces.
- Nexus male connector.
- Integrated SIM slot.
- On/Off potentiometer with volume control.
- 12V power cable.
- Rollcage or dashboard installation.

Notes: disable the PIN function on the SIM card, the performance of the system depends on the availability of the GSM signal.



#### IS-150 BT

- Professional Digital DSP intercom control unit kit with preset noise filters.
- Double potentiometer with independent Driver and Co-Driver volume.
- Bluetooth telephone module.
- With Nexus Female (BT-F) and Male (BT-M) connector.
- RCA connector for in-car camera.
- AUX connector for telephone and radio.
- Power cable for connection to the 12V car battery.
- Rollcage or dashboard attachment with anti-vibration pad.



IS-150 BT-F 00537030



IS-150 BT-M 00537038

#### IS-140

- Professional intercom control unit kit.
- Double potentiometer with independent Driver and Co-Driver volume.
- Nexus Female Female connectors with 2m cables.
- RCA connector for in-car camera.

• Power cable for connection to the 12V car battery. 9V power supply with battery compartment.

• Automatic exclusion of the 9V battery in the presence of a 12V power supply.

• Rollcage or dashboard attachment with anti-vibration pad.

00537029

#### IS-110

- Entry level intercom control unit kit with single volume potentiometer.
- 12V car battery connection cable.
- 9V battery compartment.
- 2m driver/navigator cable with 6.3mm female output jack.
- Bottom suitable for rollcage or dashboard attachment.





## **OPEN FACE HELMETS**

**INTERCOM KITS ACCESSORIES** 

### **NEW** FULL FACE HELMET INTERCOM KIT - NEXUS CONNECT

Nexus Connection. Designed to improve communication quality thanks to new speakers and microphone. 00537042

FULL FACE HELMET INTERCOM KIT - NEXUS CONNECT

**FULL FACE HELMET INTERCOM KIT** 







00537011

#### **ADAPTERS**



00537015



00537019

#### FULL FACE HELMET INTERCOM KIT - NEXUS CONNECT



#### FULL FACE HELMET INTERCOM KIT



#### **NEW** MICROPHONE KIT

Microphone kit designed for full face helmets in track race use.

Female Nexus connector to be connected to vehicle radio system.

Equipped with a professional Lemo audio connector to be connected to Sparco ear plugs.



00537044

#### Ear plugs kit with micro speaker to guarantee a perfect communication quality and noise reduction



**NEW** EAR PLUGS

00537045

# ACCESSORIES BAG AND HELMET HOLDER

#### HELMET AND F.H.R. BAG



#### TWO HELMETS CASE



■ 01662A



#### **HELMET BAG**




#### **HELMET HOOK**



01666

### **HELMETS NET**





THANKS TO NEW TRADE AGREEMENTS, SPARCO IS ABLE TO PROVIDE THE BEST RANGE OF HEAD RESTRAINT FOR SIZES, STRUCTURE, WEIGHT AND PRICE.

NEW

### **HYBRID SPORT**

Multi-tether system for increased side to side movement.

Weight: approx 930g.

DuPont carbon polymer construction.

Sleek, modern profile with defined wings for seatbelt containment.

Multiple Load Paths to Dissipate Head Loads.

FIA approved - SFI 38.1 Certified

Low profile.

No high back to hook on the bars on exit.

SIZES	SMALLEST ADJUSTMENT	LARGEST ADJUSTMENT
XS	81 cm	91 cm
S	91 cm	102 cm
M	102 cm	112 cm
L	112 cm	122 cm
XL	122 cm	132 cm



00397H..

## CLIPS QUICK RELEASE ANCHORS



00397HQR

### QUICK RELEASE TETHER 2



00397HLAC

MOREOVER, THANKS TO THE USUAL CARE FOR ITS PRODUCTS, SPARCO IS THE ONLY FACTORY ABLE TO PROVIDE TO CUSTOMERS A FULLY COMPATIBLE PACKAGE INCLUDING THE ENTIRE SET (HELMET, HARNESS AND SEAT).

#### FEATHERLITE

Material: 100% high strength Carbon. Weight: about 310g. Sliding Tethers. New curvature beam.

DEGREE	SIZES
30	M
20	M - L

00396F..

#### CLUB 3

Material: Thermoplastic. Weight: about 640g. 2 sizes available. Sliding Tethers.

DEGREE	SIZES
20	M - L

00394C..

#### **CLUB**

Material: high resistance PVC. Weight: around 950g. Ergonomic design shape. Sliding Tethers.

DEGREE	SIZES
20	M/L - L/XL

00391C..







H

SEAT

HARNESSES EERING WHEE

E H A N C S

S

2

OES/GLOV

SEATS

ACING

IFEST

STYLE

4 LIFEST

LET



HRS: YES

WEIGHT (GR): SHELL: 8300 / SEAT: 10500







SIZE: L HRS: YES

**ADV XT** 

WEIGHT (GR): SHELL: 7500 / SEAT: 10750



#### **ADV ELITE**

SHELL: CARBON FIBER

SIZE: L HRS: YES

WEIGHT (GR): SHELL: 7810 / SEAT: 10300



#### **ADV SCX / ADV SCX-H**

SHELL: CARBON FIBER SIZE: M/L

HRS: YES

WEIGHT (GR): SHELL ADV SCX: 8575 / SEAT: 10750 SHELL **ADV SCX**: 8575 / SEAT: 10750





#### **ADV SC**

SHELL: CARBON FIBER SIZE: M

**HRS:** YES

WEIGHT (GR): SHELL: 10485 / SEAT: 12900







#### NEW 8855-2021 STANDARD

#### **ADV XT**

SHELL: FIBERGLASS SIZE: L **HRS:** YES

WEIGHT (GR): SHELL: 9700 / SEAT: 12000

#### **MASTER**

**SHELL:** FIBERGLASS

SIZE: L **HRS:** YES

HOMOLOGATION

WEIGHT (GR): SHELL: 11250 / SEAT: 14000

#### MATRIX

**SHELL: FIBERGLASS** SIZE: L **HRS:** YES

WEIGHT (GR): SHELL: 12000 / SEAT: 14900

### CARBON / CARBON-KEVLAR TECHNOLOGY

#### **LEGEND**

SHELL: CARBON-KEVLAR SIZE: S WEIGHT (GR): SHELL: 5300 / SEAT: 6000

WEIGHT (GR): SHELL: 4300 / SEAT: 5500

#### QRT-C

SHELL: CARBON FIBER SIZE: M HRS: NO

#### **GAMMA EVO CARBON**

SHELL: CARBON FIBER SIZE: M/L/XL HRS: NO

SHELL: CARBON FIBER

SIZE: M/L **HRS:** YES

WEIGHT (GR): SHELL EVO / EVO L:L 4500 / SEAT: 5600 SHELL EVO XL: 4800 / SEAT: 6100

**CIRCUIT CARBON / CIRCUIT CARBON II** 

SHELL CIRCUIT II: 6700 / SEAT: 8200

WEIGHT (GR): SHELL CIRCUIT: 6400 / SEAT: 7900



008007ZNR





008013ZNR

008021ZRS

008019ZNR











## **SEATS INDEX**

#### CARBON TECHNOLOGY

#### **ULTRA CARBON**

SHELL: CARBON FIBER SIZE: S

HRS: NO

WEIGHT (GR): SHELL / SEAT: 4500



#### ULTRA

SHELL: GLASS FIBER

SIZE: S HRS: NO

WEIGHT (GR): SHEL / SEAT: 6200



#### QRT-R / QRT-R SKY

SHELL: QRT SIZE: M HRS: NO

WEIGHT (GR): SHELL: QRT-R: 5900 / SEAT QRT-R: 7600 SHELL QRT-R SKY: 5900 / SEAT QRT-R SKY: 8300





008012RNRSKY



#### PRO ADV QRT

PRO 2000 QRT

SHELL: QRT SIZE: L HRS: NO

WEIGHT (GR): SHELL: 6800 / SEAT: 8000

SHELL: QRT SIZE: M/L HRS: YES WEIGHT (GR): SHELL: 7800 / SEAT: 9300



#### **CIRCUIT QRT / CIRCUIT II QRT**

132

WEIGHT (GR): SHELL CIRCUIT: 7100 / SEAT CIRCUIT: 8600



#### QRT TECHNOLOGY

#### **EVO QRT RANGE**

SHELL: QRT TAGLIA: M/L/XL HRS: NO WEIGHT (GR: SHELL EVO L QRT: 6500 / SEAT EVO L QRT: 7700 SHELL EVO XL QRT: 6700 / SEAT EVO XL QRT: 7900 SHELL EVO QRT: 5000 / SEAT EVO QRT: 7300

SHELL EVO SKY QRT: 5000 / SEAT EVO SKY QRT: 7300





008013RNR





#### **EVO QRT X RANGE**

SHELL: QRT SIZE: M/L/XL HRS: NO WEIGHT (GR): SHELL EVO L QRT X: 6500 SEAT EVO L QRT X: 7700 SHELL EVO XL QRT X: 6700 SEAT EVO XL QRT X: 7900

SHELL EVO QRT X: 5000 SEAT EVO QRT X: 7300







SHELL: QRT SIZE: M HRS: NO

GRID-Q / GRID-Q SKY

WEIGHT (GR): SHELL GRID-Q: 6500 / SEAT GRID-Q: 7300

SHELL GRID-Q SKY: 6500 / SEAT GRID-Q SKY: 7700



SHELL: QRT SIZE: S/M HRS: NO WEIGHT (GR): SHELL: 6000 / SEAT: 7100



#### TUBULAR FRAME TECHNOLOGY

#### **SPRINT RANGE**

REV QRT

SHELL: TUBULAR SIZE: M/L HRS: NO WEIGHT (GR): SHELL SPRINT L: 10400 SHELL SPRINT/SPRINT SKY: 7940 SEAT SPRINT L: 11000 SEAT SPRINT/SPRINT SKY: 9700







\*THE INDICATED WEIGHT IS CALCULATED ON THE AVERAGE VALUE OF THE ANALYZED SAMPLES, IT CAN UNDERGO VARIATIONS.

SHELL: QRT SIZE: L HRS: YES

SHELL CIRCUIT II: 7200 / SEAT CIRCUIT II: 9600





New use of k-point fabric.




Full-length cushion with separate leg rest.




The seat is approved in conjunction with the side mounting frames 004990ADV.



- Developed in collaboration with M-sport.
- New lining design.
- Self-extinguishing fabric lining.
- FIA approved energy absorbing padding.
- M12 lateral fastening with 290 mm spacing.











## HIGHLIGHTS



New use of k-point fabric.



Full-length cushion with separate leg rest.



The seat is approved in conjunction with the side mounting frames 004990ADV.




#### ● 008033ZPNR

• New upholstery design with removable pad in double density foam.







HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 7500 / SEAT: 10750

## HIGHLIGHTS



Self-extinguishing fabric lining.



Split leg rest cushion.




The seat is approved in conjunction with the side mounting frames **0049605**.



- FIA-approved energy absorbing padding.
- Non-slip fabric for shoulders and seat.

 Attached using M12 lateral fastenings with 290 mm spacing.



139





## HIGHLIGHTS



FIA-approved energy absorbing padding.



Non-slip fabric for shoulders and seat.



The seat is approved in conjunction with the side mounting frames 004988ADV.




• Attached using M12 lateral fastenings with 290 mm spacing.











# ADV SCX / SCX-H

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 8575 / SEAT: 10750



# ADV SC

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 10485 / SEAT: 12900



## HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Split legrest cushion.



The seat is approved in conjunction with the side mounting frames ADV SCX and ADV SCX-H.

#### • Self-extinguishing fabric lining.

- FIA-approved energy absorbing padding.
- Attached using M12 lateral fastenings with 290 mm spacing.




**■** 00804ZNR

#### ADV SCX-H









## HIGHLIGHTS



Self-extinguishing fabric lining.




Non-slip fabric for shoulders and seat.



The seat is approved in conjunction with the side mounting frames 004982ADV.



- FIA-approved energy absorbing padding.
- Attached using M12 lateral fastenings with 290 mm spacing.



HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER

HRS: YES WEIGHT (GR): SHELL: 9000 / SEAT: 11200

MANUFACTURER: SPARCO MODEL: ADV COMPETITION HOM. NO: AS.099.22 FIA STANDARD: 8862-2009

ADV COMPETITION APPROVED

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 9000 / SEAT: 11000



eparco



New use of k-point fabric.



Full-length cushion with separate leg rest.




The seat is approved in conjunction with the side mounting frames 004990ADV.







- Shaped backrest to wrap around the driver.
- Efficient construction technology



## HIGHLIGHTS



Shaped backrest to better fit the driver.



Backrest with additional reinforcement in the lumbar area.



The seat is approved in conjunction with the side mounting frames 004990ADV.








#### ■ 008034ZPNR

- Ergonomics designed for professional drivers.
- Shaped backrest to wrap around the driver.
- Backrest with additional reinforcement in the lumbar area.
- Efficient construction technology.
- New upholstery design with removable pad in double density foam.













FIA-approved energy absorbing padding.




Integrated racing net guides.



The seat is approved with two different side mounting frames height (in conjunction with mounting frames 004932H e 004932L).



- Self-extinguishing fabric lining.
- Suitable for drivers betwee 1.65 - 1.80 m in height.
- Split leg rest cushion.
- Attached using M12 lateral fastenings with 290 mm spacing.





# HIGHLIGHTS



Insertion of internal memory foam pads.



Integrated racing net guides.





Specific brackets approved for: Renault Clio RALLY3, RALLY4, RALLY5, Ford Fiesta RALLY3.



#### ● 008030FNR

- New seat compliant with the more stringent 8855-2021 approval.
- Shock absorbing foam on the head.





HOMOLOGATION: FIA 8855-2021 MATERIAL: FIBERGLASS HRS: YES WEIGHT (GR): SHELL: 12000 / SEAT: 14900



# HIGHLIGHTS



Developed according to the new technical regulations 8855-2021.




Special reinforcing foil with honeycomb matrix.



Specific brackets approved for: Peugeot 208 RALLY4.




• Designed for greater ergonomics using sae manikin.









HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON-KEVLAR PRE-PREG HRS: NO WEIGHT (GR): SHELL: 5300 / SEAT: 6000




# **QRT-C**

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER HRS: NO WEIGHT (GR): SHELL: 4300 / SEAT: 5500



# HIGHLIGHTS




VEP fabric with original checkered lining.



Pre-preg carbon-kevlar frame.



Lower fasteners 317x345 (M8) (does not mount on guide **00943..**).



# HIGHLIGHTS



High structural strength.




Non-slip fabric for shoulders and seat.



Attached using M8 lateral fastenings with 290 mm spacing.







OUTLET

# **EVO CARBON**

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER HRS: NO WEIGHT (GR): SHELL 4500 / SEAT 5600

# **EVO CARBON**

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER HRS: NO WEIGHT (GR): EVO L SHELL: 4500 / SEATS: 5600 - EVO XL SHELL: 4800 / SEATS: 6100

## HIGHLIGHTS



Non-slip fabric for shoulders and seat.




Super light shell in carbon fiber.



Attached using M8 lateral fastenings with 290 mm spacing.





## HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Super light shell in carbon fiber.



Attached using M8 lateral fastenings with 290 mm spacing.


#### **EVO L CARBON**



#### **EVO XL CARBON**







# **CIRCUIT CARBON**

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER SIZE: M HRS: YES WEIGHT (GR): SHELL: 6400 / SEAT: 7900

# **CIRCUIT II CARBON**

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER SIZE: L HRS: YES WEIGHT (GR): SHELL: 6700 / SEAT: 8200


## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




Super light shell in carbon fiber.



Divisible leg rest and seat cushion.





## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




Super light shell in carbon fiber.



Divisible leg rest and seat cushion.





157

DITLET





Ultralight seat.



Laminated with double shell in Carbon Fiber.



Ergonomics designed for use without padding.






















# HIGHLIGHTS



Ultralight seat.



Laminated with double shell in Glass Fiber.



Ergonomics designed for use without padding.




(APPROVED









#### NEW ULTRA PADDING FULL KIT ALCANTARA®



Padding kit consisting of:

- Headrest
- Scapular
- Lumbar
- Cushion

Alcantara-covered pads.

Possibility of repositioning the pads on the shell by means of Velcro.

Foam padding made of anti-vibration material.

#### 010411PAD1

#### NEW ULTRA HEAD+BOTTOM PADDING ALCANTARA®



Padding kit for cushion and headrest covered in Alcantara.

Foam padding made of anti-vibration material.

Possibility of repositioning the pads on the shell

010411PAD3



Padding kit consisting of:

- Headrest
- Scapular
- Lumbar
- Cushion

Waterproof coated pads.

Possibility of repositioning the pads on the shell by means of Velcro.

Foam padding made of anti-vibration material

#### 010411PAD2

#### NEW ULTRA HEAD+BOTTOM PADDING OPT



Padding kit for cushion and headrest covered in waterproof material.

Possibility of repositioning the pads on the shell

Foam padding made of anti-vibration material.

010411PAD4

# **QRT-R**

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL: 5900 / SEAT: 7600



# PRO 2000 QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL: 6800 / SEAT: 8000



## HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Integrated lumbar support.



Attached using M8 lateral fastenings with 290 mm spacing.



# QRT-R SKY


**■** 008012RNR




MANUFACTURER: SPARCO MODEL: QRT-R HOM. NO: CS.397.18 FIA STANDARD: 8855-1999

 Attached using M8 lateral fastenings with 290 mm spacing.

#### **■** 008012RNRSKY



## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




Lateral kidney supports.



Divisible leg rest and seat cushion.



- Lower attached directly on M8 271x345 base.
- Attached using M8 lateral fastenings with 290 mm spacing



290 407 Rear FIX 421 Front FIX

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: YES WEIGHT (GR): SHELL: 7800 / SEAT: 9300 MANUFACTURER: SPARCO MODEL: PRO ADV QRT HOM. NO: CS.434.19 FIA STANDARD: 8855-1999

# **CIRCUIT QRT**

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: YES WEIGHT (GR): SHELL CIRCUIT QRT: 7100 / SEAT CIRCUIT QRT: 8600 SHELL CIRCUIT II QRT: 8600 / SEAT CIRCUIT II QRT: 9600





Non-slip fabric for shoulder and seat restraint.




Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings.





## HIGHLIGHTS



Head Restraint System integrated.



Non-slip fabric for shoulder and seat restraint.



Divisible leg rest and seat cushion.



●008019RNR

CIRCUIT II QRT




MANUFACTURER: SPARCO MODEL: CIRCUIT II QRT HOM. NO: CS.408.18 FIA STANDARD: 8855-1999

 Attached using M8 lateral fastenings with 290 mm spacing.

#### ■008011RNR





KARTING 10ES / GLOVES

> SEATS ARNESSES ERING WHEELS

> > RACING

R MIS F D

CLOTHING

LIFESTYLE

UTLE

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL: 5000 / SEAT: 7300




# EVO QRT L/XL

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL EVO L QRT: 6500 / SEAT EVO L QRT: 7700 SHELL EVO XL QRT: 6700 / SEAT EVO XL QRT: 7900



# HIGHLIGHTS



New backrest with integrated lumbar cushions.



Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.




**EVO SKY QRT** 


Sky upholstery.



**■** 008007RNRSKY



## HIGHLIGHTS



New backrest with integrated lumbar cushions.



Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.

#### EVO L QRT



**EVO XL QRT** 





**■**008015RNR



# EVO QRT X

WATER-REPELLENT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL EVO QRT X: 5000 / SEAT EVO QRT X: 7300




# EVO QRT X L/XL

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL EVO L QRT X: 6500 / SEAT EVO XL QRT X: 7700 SHELL EVO XL QRT X: 6700 / SEAT EVO XL QRT X: 7900



# MANUFACTURER: SPARCO MODEL: EVO L QRT HOM. NO: CS.432.19 FIA STANDARD: 8855-1999

## HIGHLIGHTS



Waterproof fabric specific for off-road use.




Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.







## HIGHLIGHTS



Waterproof fabric specific for off-road use.



Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.

#### EVO L QRT X




**EVO XL QRT X** 





**■** 008015XNR



SIM RACING CHAIRS

# GRID-Q QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL 6500 / SEAT 7300



# **REV QRT**

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL 6000 / SEAT 7100



## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Customizable padded pads.



Divisible leg rest and seat cushion.



### ■ 008009RNR

#### GRID-Q SKY QRT


Attached using M8

lateral fastenings


with 290 mm spacing.



• 008009RNRSKY



## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




New backrest with integrated lumbar cushions.



Attached using M8 lateral fastenings with 290 mm spacing.





HOMOLOGATION: FIA 8855-1999 MATERIAL: TUBULAR FRAME HRS: NO WEIGHT (GR): SHELL SPRINT: 7940 / SEAT SPRINT: 9700

SHELL SPRINT L: 10400 / SEAT SPRINT L: 11000


APPROVED MANUFACTURER: SPARCO MODEL: SPRINT HOM. NO: CS.332.15 FIA STANDARD: 8855-1999

**SPRINT SKY** 

HOMOLOGATION: FIA 8855-1999 MATERIAL: TUBULAR FRAME HRS: NO WEIGHT (GR): SHELL SPRINT SKY: 7940 SEAT SPRINT SKY: 9700



## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Tubular frame with elastic backrest and seat structure.



Lower attached directly on M8 271x345 base. Attached using M8 lateral fastenings with 290 mm spacing



#### SPRINT L

■ 008235RS


008235AZ ■ 008235NR







008234LRS 008234LAZ ● 008234LNR



## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




Sky upholstery.



Lower attached directly on M8 271x345 base. Attached using M8 lateral fastenings with 290 mm spacing



- Elastic backrest and seat structure.
- Lower attached directly on M8 271x345 base.



# ACCESSORIES

#### FIA-APPROVED MOUNTING FRAMES FOR SEATS WITH SIDE MOUNTING



Longitudinal distance between holes 290 mm. Max length 415 mm. Simple mounting in the car with more than 25 positions. 6 mm anodized aluminium.



#### 00492LAT

Dismountable mounting frame made of Steel. Maximum height and length adjustability (22 eyelets on the base element). New L shape of the lateral element to allow a double lockage with the base element.



290 mm spacing. High resistance steel, 3 mm thick. 500 mm length.



#### 004902

Longitudinal distance between holes 290 mm. Max length 400 mm. Simple mounting in the car with more than 25 positions. 3 mm black powder coated.



#### 004901NR

(L max 360 mm) Longitudinal wheelbase 290 mm. 3 mm thick steel.

#### SUBFRAMES FOR BOTTOM MOUNTING

FOR THE COMPLETE APPLICATION LIST SEE THE PRICE LIST.



#### **DRIVER DRINK**

01045NR



Drink bag. Insulates from outside heat and keeps drinks at a constant temperature. Holds 1.5 litres, inner bottle and spout also available as spare parts. Four braces for attachment to the seat.

#### OFF ROAD CUSHION LOW - FIA COMPLIANT



Memory foam cushion. 01033NR

Water repellent version.

01033XNR

High density foam water repellent version.

01035XNR

#### OFF ROAD CUSHION HIGH - NOT FIA COMPLIANT



Water repellent memory foam cushion high. 01034XNR

High density foam water repellent version. 01036XNR

#### OPTIONAL PADDING



04108009PAD

Pair of side cushions suitable for FIA 8855-1999 seats



01011

Leg support cushion.



■01022AZ 01022RS

> Pair of lumbar side backrests.

■ 01022NR



01023

Universal lumbar backrest.

#### CUSHION FULL KIT (BACK + BOTTOM)



CODE	SEAT
01048KIT8007NR	EVO QRT
01048KIT8007SKY	EVO QRT SKY
01048KIT8013NR	EVO L QRT
01048KIT8015NR	EVO XL QRT
01048KIT8014NR	REV QRT
01048KIT8012NR	QRT R
01048KIT8012SKY	QRT-R SKY
01048KIT8025NR	QRT-C



CODE	SEAT
01048KIT8019NR	CIRCUIT
01048KIT8011NR	CIRCUIT II
01048KIT8017NR	PRO ADV QRT
01048KIT8016NR	PRO 2000 QRT
01048KIT8018NR	PILOT QRT
01048KIT8009NR	GRID Q
01048KIT8009SKY	GRID Q SKY

#### MADE IN ITALY

#### FORMULA

8853-2016

HOMOLOGATION

#### FORMULA H-10

FIXING: DOGBONE / BOLT ON **ANCHORAGE POINT: 6 POINTS** 

#### FORMULA H-9 INDY

TYPE: FORMULA FIXING: DOGBONE ON SHOULDER / BOLT ON **ANCHORAGE POINT: 8 POINTS** 

#### FORMULA H-9

TYPE: FORMULA FIXING: DOGBONE ON SHOULDER / BOLT ON **ANCHORAGE POINT:** 6 POINTS

#### **FORMULA H-8**

TYPE: FORMULA FIXING: DOGBONE ON SHOULDER / BOLT ON **ANCHORAGE POINT: 6 POINTS** 

#### **FORMULA H-7**

TYPE: FORMULA FIXING: ROLLCAGE / BOLT ON **ANCHORAGE POINT: 6 POINTS** 









04819H2NR

#### COMPETITION RALLY / GT / SALOON

#### **COMPETITION H-3+2**

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 

#### **COMPETITION H-3 STEEL**

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 

#### **COMPETITION H-2 PUNEW**

OMOLOGATION

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 

#### **COMPETITION H-2 PD**

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 

04818RH1RS



04818RH1AZ



04818RH1NR



04834HPDAZ

#### PRO RALLY / GT / SALOON

#### **PRO H-9**

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / CARABINER / DOGBONE (ON DEMAND) **ANCHORAGE POINT: 6 POINTS** 





#### SPORT RALLY / SALOON / HISTORICAL

#### **SPORT H-4**

TYPE: RALLY / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 4 POINTS** 



04834HPDRS





04834HPDNR

#### **PRO H-8 ENDURANCE**

TYPE: RALLY / GT / SALOON FIXING: BOLT ON / ROLLCAGE / DOGBONE (ON DEMAND) **ANCHORAGE POINT: 6 POINTS** 



#### SPORT OFFROAD / OFFSHORE

#### SPORT H-5 SFI / SFI CAMO

TYPE: OFFROAD / OFFSHORE FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 5 POINTS** 







04806SFIVDM

HOMOLOGATION 8853-201

(III) APPROVED

MANUFACTURER: SPARCO MODEL: 04822H HOM. NO: SH.060.19-T-6 FIA STANDARD: 8853-2016

HOMOLOGATION: FIA 8853-2016

# HIGHLIGHTS

- 6-Point or 8-Point belt.
- 2" specific FHR shoulder straps.
- Full release titanium buckle.
- Aluminum adjusters.
- Dogbone fixing (screw fixing on request).
- Oracle Red Bull Racing F1 Team and Mclaren F1 Racing Team official equipment.

# THE LIGHTEST IN FORMULA 1



04822HNR



# FORMULA H-9

MANUFACTURER: SPARCO MODEL: 0.4833H HOM. NO: SH.073.19-T-6 FIA STANDARD: 8853-2016

FORMULA H-8

MANUFACTURER: SPARCO MODEL: 04823HNR HOM. NO: SH.054.18-T-6 FIA STANDARD: 8853-2016

HOMOLOGATION: FIA 8853-2016

## HIGHLIGHTS

- 6 point seat belt for single-seater.
- 2" specific FHR straps.
- Pecific f1 straps and aluminum adjusters.
- Luminum buckle with fixed point on abdominal.
- Fixing with adjustable double tongue.
- f1 straps and aluminum adjusters.



## HIGHLIGHTS

HOMOLOGATION: FIA 8853-2016

- 6 point seat belt for single-seater.
- 2" specific FHR straps.
- Aluminum buckle.
- Aluminum adjusters only on shoulder straps.
- Adjustable abdominal and thigh straps.
- Triangle screw fixings, 15 mm diameter hole, roll-cage or dog bone mounting possible by eliminating triangles.



04823HNR

# FORMULA H-9

INDY NEW

HOMOLOGATION: FIA 8853-2016



# FORMULA H-7

HOMOLOGATION: FIA 8853-2016

# MANUFACTURER: SPARCO MODEL: 04819H HOM. NO: SH.017.17-T-6 FIA STANDARD: 8853-2016

## HIGHLIGHTS

- INDY CAR specific 8-point harness.
- Shoulder straps derived from Formula 1.
- 2" FHR Shoulder straps.
- Aluminum buckle.
- Adjusters derived from F1.
- Straps attachment to DOGBONE.
- Abdominal and thigh strap fixings.



04843NR

# HIGHLIGHTS

- 6 point seat belt for single-seater.
- 2" specific FHR straps.
- Aluminum buckle.
- Steel adjusters on shoulder and abdominal straps.
- Triangle screw fixings, 15 mm diameter hole, roll-cage or dog bone mounting possible by eliminating triangles.



04819H2NR04819H2RS04819H2AZ

10

SUITS

ES / GLOVES OTECTIONS

RATS

ACING

SIM RA

LIFESTYL

LIFESTYLE

HOMOLOGATION: FIA 8853-2016



## HIGHLIGHTS

- 6 point harness.
- 2" FHR specific straps.
- Compact T-bar.
- Aluminum buckle.
- Aluminum adjusters.
- Rollcage fasteners (shoulders and thigh) and ultra-light carabiner (abdominal).
- WRC M-Sport Racing Team and WEC Peugeot Team official harnesses equipment.



# PRO H-8 ENDURANCE



HOMOLOGATION: FIA 8853-2016

# HIGHLIGHTS

- 6-point endurance belt.
- 2" Specific FHR shoulder straps.
- Compact T-bar.
- Aluminum buckle.
- Aluminum adjuster on shoulder straps.
- Steel adjuster on thighand abdomen.
- Screw fasteners on all branches.
- Roll fixing bars for shoulder straps and leg harnesses.
- Official Dallara Stradale harness equipment.





MECHANIC

SUITS

ES / GLOVES OTECTIONS

SEATS ARNESSES DING WHEELS

M RACING CHAIRS

ING

STYLE

CAPSI

OUTLE

# **COMPETITION H-2 PU**

NEV

HOMOLOGATION: FIA 8853-2016

## HIGHLIGHTS

HOMOLOGATION: FIA 8853-2016

- 6 point seat belt.
- 3" specific FHR shoulder straps with reduction to 2".
- Aluminum buckle.
- Steel shoulder and abdominal strap adjusters.
- Snap-hook fasteners on all straps.
- Possibility of fixing to rollcage on shoulder straps and leg loops by removing the accessories.



## HIGHLIGHTS

- 6 point harness.
- 2" FHR Shoulder straps
- Compact Tbar.
- Aluminum buckle.
- Pull up adjustment on abdominals.
- Steel adjusters.
- Snap-on for all straps.



# **COMPETITION H-3 STEEL**

NEW

HOMOLOGATION: FIA 8853-2016

# **COMPETITION H-2 PD**

HOMOLOGATION: FIA 8853-2016

## HIGHLIGHTS

- 6 point harness.
- Aluminum buckle.
- PULLDOWN abdominal adjustment with integrated tongue.
- 3" straps with steel adjuster.
- Snap-on for all straps.



■ 04834HPDRACNR

**APPROVED** 

## HIGHLIGHTS

- 6 point harness.
- 2" FHR specific straps.
- Aluminum buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Pull down adjustment on abdominals by integrated pull adjusters.
- Snap hooks or rollcage fixing by removing the accessories.
- Compact T-Ban



MECHANICS

UITS

S Z Z

SHOB

SEATS ARNESSES

ACING

SIM R/

IFESTYL COTHING

ESTYLE

6 LIFES

OUTLET

# SPORT H-4

HOMOLOGATION: FIA 8854-1998



# SPORT H-5

SFI CAMO

HOMOLOGATION: SFI 16.1

## HIGHLIGHTS

- 4 point seat belt.
- 3" shoulder straps.
- Aluminum buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Snap-hook fasteners on all straps or rollcage fixing on shoulder straps by removing the accessories.



- 04716M1NR 04716M1RS
- 04716M1AZ

## HIGHLIGHTS

- 5 point seat belt.
- 3" shoulder straps.
- Latch-n-link buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Ideal for off-road vehicles and/or boats.



# **SPORT H-5**

SFI

**HOMOLOGATION: SFI 16.1** 

# **ACCESSORIES**

HOMOLOGATION: FIA 8853-2016

## HIGHLIGHTS

- 5 point seat belt.
- 3" shoulder straps.
- Latch-n-link buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Ideal for off-road vehicles and/or boats.



#### PAIRS OF SHOULDER PADS

• Pair of pads for 3" harnesses. Made of padded velour. NOT FIREPROOF.



0109853R



<u>eparco</u>

**0109853A** 



■ 0109853N

#### **EYEBOLT** Thread 7/16



04501

REINFORCEMENT FIXING PLATE Thread 7/16



04502



189

SIM RACING CHAIRS

STEERING WHE

MECHANICS

SUITS

/ GLOVES ECTIONS

ATS ESSES

SI HARI

SIM RACIN CHAIRS

G LIFESTYLE CLOTHING ACCESSORIES

LIFESTYLE CAPSULE OLLECTIONS

量

# STEERING WHEELS INDEX

#### **MADE IN ITALY**



TYPE: FORMULA DIAMETER (MM): 270



R215 / R215 FLAT

TYPE: RALLY DIAMETER (MM): 350



015R215FL



015R215FS

F-10A

TYPE: FORMULA DIAMETER (MM): 270



015P270SSN



TYPE: RALLY DIAMETER (MM): 350

R325



#### P310/P310 OPEN ■■

TYPE: FORMULA / SALOON DIAMETER (MM): 310



015P310F2SN





TYPE: RALLY DIAMETER (MM): 350



#### P300

TYPE: FORMULA / SALOON DIAMETER (MM): 300





TYPE: RALLY / OFF ROAD / TRUCK DIAMETER (MM): 380



#### R323

TYPE: RALLY / SALOON DIAMETER (MM): 270







#### R330 / R330B TYPE: FORMULA / SALOON

DIAMETER (MM): 330









# R350 / R350B

TYPE: FORMULA / SALOON DIAMETER (MM): 350



015R350CL0



R383 / R383 LOGO TYPE: RALLY / SALOON DIAMETER (MM): 330



015R383PSNLOGO


P310

MATERIAL: SUEDE

## HIGHLIGHTS

MATERIAL: SUEDE

- Carbon steering wheel for prototype single-seater and sports vehicle.
- Ergonomic grip, designed based on experience gained with the racing teams of the most prestigious motor anufacturers.
- Hole interaxis 3x50.8 mm.






015PC270SSN

## HIGHLIGHTS

- Flat steering wheel ideal for GT car.
- Hole interaxis: 6x70 mm.





F-10A •••


MATERIAL: SUEDE

# P310 OPEN

MATERIAL: SUEDE

# HIGHLIGHTS

- Aluminium steering wheel for prototype single-seater and sports vehicle.
- Ergonomic grip, designed based on experience gained with the racing teams of the most prestigious motor, anufacturers.
- Hole interaxis 3x50.8 mm.




015P270SSN



# HIGHLIGHTS

Open top, ideal for GT cars.

• Hole interaxis: 6x70 mm.





015P310F2SN

RTING

IOES / GLOVES

SEATS

HAF

SIM RACII CHAIRS

SSORIES

4 LIFES

LIFESTYLE

...

015P3100PN

MATERIAL: SUEDE

# HIGHLIGHTS

- Flat steering wheel with small grip.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.









R323

MATERIAL: SUEDE

# HIGHLIGHTS

- Flat steering wheel with small grip.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.












015P300SN

## HIGHLIGHTS

• Hole interaxis: 6x70 mm.



WITHOUT BUTTONS



015R330CL0

LEATHER WITHOUT BUTTONS

015R330CS0 SUEDE WITHOUT BUTTONS 015R330PS0

SUEDE + BUTTONS



• IP68 buttons for water


and dust protection.

## HIGHLIGHTS

• Dished steering wheel with lighter spokes.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.





# R350 / R350 B


MATERIAL: SUEDE / LEATHER

# **R215 FLAT**

MATERIAL: SUEDE / LEATHER

## HIGHLIGHTS

• Hole interaxis: 6x70 mm. Ø 33/25



WITH BUTTONS

#### 015R350CL0

LEATHER WITHOUT BUTTONS

015R350CS0 SUEDE WITHOUT BUTTONS





• IP68 buttons for water

and dust protection.

015R350PS0 SUEDE + BUTTONS



# HIGHLIGHTS

• Suede flat steering wheel for rally use.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.





015R215CSN

R368


MATERIAL: SUEDE

MATERIAL: SUEDE

# HIGHLIGHTS

- Dished steering wheel with three spokes and small grip.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.






# HIGHLIGHTS

- Dished steering wheel optimal for off-road use.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.







R345

MATERIAL: SUEDE / LEATHER

# HIGHLIGHTS


- Dished steering wheel with small grip.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.













OUTLET

R353


MATERIAL: SUEDE

HIGHLIGHTS

 Dished steering wheel with large grip.

MATERIAL: SUEDE

• Hole interaxis: 6x70 mm.





HIGHLIGHTS

R383 LOGO ...

 Steering wheel with special comfortable grip shape.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.





R375

MATERIAL: SUEDE

R383


MATERIAL: SUEDE

# HIGHLIGHTS

• Special 36 mm dished.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.





015R375PSN

015R353PSN

# Steerin comfort Hole int New horn colour kit

# HIGHLIGHTS

 Steering wheel with special comfortable grip shape.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.







015R383PSNL0G0

ANCE

E-SPORTS

IFESTYLE

LIFESTYLE

# **ACCESSORIES**

#### PRE-WIRED QUICK RELEASE

- Wire harness with silver solder connection with LEMO connectors from F1.
- CNC machined aircraft aluminum.
- Hard anodizing for strength and reliability.
- Drilling for assembly 6x70mm.
- FIA compliant (Annex J).



015R98EL

#### **QUICK RELEASE**

- CNC processed aeronautical aluminium.
- Hard anodised for resistance and reliability.
- Slots for 6x70 mm mount.
- FIA compliant (annex J).



015R98R

#### SW PAD

Steering wheel protection pad.

FIA compliant (annex J).





#### **HORN DELETE KIT**

# HORN DELETE KIT MATT



0159ZMNR





0159ZNR

#### RING

# ANODIZED STEERING WHEEL SPACERS







01595ANR



01595ANT

#### **RACING PUSH BUTTONS KIT**



## FOR THE APPLICATION LIST

STEEL WHEEL HUB

# PLEASE CHECK PRICE LIST.

Sparco collapsible hubs are made from cast iron with a steel frame that collapse during impacts. This item absorbs kinetics energy avoiding transfer to the driver.

The Sparco steering wheels are TÜV approved only if coupled with the Sparco hubs.







# FIA 8867-2016

**JACKET AND PANTS** 

HOMOLOGATION: FIA 8867-2016 - (SFI 3.4/5 ON DEMAND)



# **MS-5**

HOMOLOGATION: NOT HOMOLOGATED SIZES: S-XXL COMPOSITION: 70% POLYESTER, 30% COTTON

# HIGHLIGHTS



3 layer construction.



Stretch back panel.



Side pockets.



002023J..



002023P..

# HIGHLIGHTS



Reinforced elbow material.



Elasticated back panel.



Removable kneepads.





002019GR..

HOMOLOGATION: NOT HOMOLOGATED SIZES: S-XXL COMPOSITION: 85% POLYESTER, 15% COTTON

# HIGHLIGHTS



Front pocket.



Elasticated band.




Side pockets.



002020AZ..





HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 38-48 CUSTOMIZATION: ON DEMAND



# TORQUE

O1 CERTIFICATION (EN ISO 20347:2012) SIZES: 37-47 METAL FREE

## HIGHLIGHTS

- Breathable lining.
- Inner shock-absorber insole.



Genuine perforated leather upper and suede reinforcement areas.



Padded ankle for more support.



Rubber and phylon sole for maximum grip and comfort.







## HIGHLIGHTS

- Breathable mesh lining.
- Easy lacing.
- Phylon sole and oil and hydrocarbon resistant rubber bottom.
- SRA level slip resistance.







Tip with ultra-resistant coated reinforcement.



Energy absorption heel.







001289..NRNR

213

UTLE

HOMOLOGATION: FIA 8856-2018



HOMOLOGATION: FIA 8856-2018 **SIZES:** 9-13



## HIGHLIGHTS

**SIZES:** 8-15

- Increased padded reinforcement on knuckles for maximum protection.
- Aramide knit knuckle reinforcement with silicone coating.
- Ergonomic pre-curved construction.
- Internal seams.



Palm with HTX 3D print vulcano with differentiated zones for maximum grip to absorb vibrations.



Fully ribbed cuff for maximum fit.

#### Compliant to the new FIA 8856-2018 heat transmission requirements.







001321..NR

HIGHLIGHTS

- Aramide knit knuckle and finger reinforcement with silicone coating.
- Thumb reinforcement for maximum cut and abrasion protection.
- Internal seams.



Silicone palm with ultragrip texture.



Fully ribbed cuff for maximum fit.

#### Compliant to the new FIA 8856-2018 heat transmission requirements.









COMPOSITION: 47% POLYESTER 35% SUEDE 18% ELASTANE

**SIZES:** 8-11 CERTIFICATION: PPE CAT.2 / EN 388:2016 / EN ISO 21420

# HIGHLIGHTS

SIZES: S-XL

- The backs of Meca-3 gloves are made from elasticised, printed, scuff resistant fabric.
- The palms are in synthetic, scuff resistant hide and there are reinforcements positioned between thumb and index finger.
- Pads between the fingers provide better breathing.
- Strap for tighter fitting.

















## HIGHLIGHTS

- Adamant® diamond structure for a maximum level of cutting resistance.
- Exceptional comfort and dexterity.
- Palm resistant to grease and wet grime.
- Impact resistant on the back.
- Shock absorbing structure on the palm of the hand.



**PPE CATEGORY II:** Synthetic glove protecting against mechanical risks.

ABRASION RESISTANCE: 4 (performance levels).

**RESISTANCE TO BLADE CUTTING:** Coupe test: X (not

TEAR RESISTANCE: 4 (performance levels).

PUNCTURE RESISTANCE: 3 (performance levels).

RESISTANCE TO CUTTING BY BLADE EN ISO 13997: D (performance levels).

EN PROTECTION AGAINST IMPACTS: P (performance level).





# WORKWEAR TECH

#### **TECH SOFT-SHELL**

SIZES: XS-3XL

COMPOSITION: Outside 93% polyester, 7% spandex - Inside 100% polyester, 330 gsm









02412NRAF..

#### TECH LIGHT-SHELL

SIZES: XS-3XL

COMPOSITION: 90% nylon, 10% spandex, 240 gsm











02413NRAF..

#### TECH HOODED FULL ZIP

SIZES: XS-3XL

COMPOSITION: 80% cotton, 20% polyester, 280 gsm



#### 02414NRAF..

#### NEW TECH FULL ZIP

SIZES: XS-3XL

COMPOSITION: 80% cotton, 20% polyester, 260 gsm







02429BMAF..

221

# **WORKWEAR TECH**

#### **TECH LIGHT VEST**

SIZES: XS-3XL

COMPOSITION: 90% nylon, 10% spandex, 240 gsm











02419NRAF..

#### **NEW** TECH DENIM JEANS

SIZES: XS-3XL

COMPOSITION: 98% cotton, 2% spandex, 250 gsm





02430BS..

#### **TECH POLO**

SIZES: XS-3XL

COMPOSITION: 65% cotton, 35% polyester with pique effect, 180 gsm



02415NRAF..

#### TECH T-SHIRT

SIZES: XS-3XL

COMPOSITION: 50% cotton, 50% polyester with pique effect, 180 gsm



02416NRAF..

# WORKWEAR TECH

#### **TECH TROUSERS**

SIZES: XS-3XL

COMPOSITION: 90% nylon, 10% spandex, 240 gsm





02417NRAF..

02417NRAZ..



#### TECH SHORTS

SIZES: XS-3XL

222

COMPOSITION: 90% nylon, 10% spandex, 240 gsm











#### **NEW** TECH LIGHT TROUSERS

SIZES: XS-3XL

COMPOSITION: 90% nylon, 10% spandex, 170 gsm











**NEW** TECH LIGHT SHORTS

SIZES: XS-3XL

COMPOSITION: 90% nylon, 10% spandex, 170 gsm











02428NRAF.. 02428NRGS.

02418GSGF..

02428GSGF.

# WORKWEAR

#### **BOSTON - CARGO MULTISEASON**

SIZES: S-XXL

COMPOSITION: 98% drill cotton, 2% elastane, 260/270 gsm





#### BERMUDA

SIZES: S-XXL COMPOSITION: 97% cotton, 3% elastane, 220 gsm





02410GS..

02410NR..

#### **TOOLS BELT**

**SIZES:** M-XL Radio belts, adjustable with snap buckle.



**EPRROLIN** <u>sparco</u>

# FIRE EXTINGUISHERS

#### **MADE IN ITALY**

#### 014777EXP

**ACTIVATION: ELECTRIC** TYPE: RALLY/CIRCUIT CAPACITY (LT.): 3,9 **WEIGHT (KG.):** 5,9

# FIA 8865

#### 014779EXP

**ACTIVATION: ELECTRIC** TYPE: RALLY/CIRCUIT CAPACITY (LT.): 2,5 **WEIGHT (KG.):** 5,9

#### 014778EXL2 SP205

ACTIVATION: ELECTRIC TYPE: RALLY/CIRCUIT CAPACITY (LT.): 2,5 **WEIGHT (KG.):** 3,9

#### 014778EXL3 SP305

ACTIVATION: ELECTRIC TYPE: RALLY/CIRCUIT CAPACITY (LT.): 3,9 **WEIGHT (KG.):** 5,1

#### 014772FEAL

**ACTIVATION:** ELECTRIC TYPE: FORMULA CAPACITY (LT.): 0,9 **WEIGHT (KG.):** 1,8

#### 014772EXL

**ACTIVATION: ELECTRIC** TYPE: RALLY/CIRCUIT **CAPACITY (LT.):** 4,25 **WEIGHT (KG.):** 6,7

#### 014772MSL

**ACTIVATION: MECHANIC** TYPE: RALLY/CIRCUIT **CAPACITY (LT.):** 4,25 **WEIGHT (KG.):** 8,1



014777EXP



014779EXP



014778EXL2



014778EXL3



014772FEAL





#### 014773BXLN2

**ACTIVACTION: HAND HELD** TYPE: RALLY CAPACITY (LT.): 2 **WEIGHT (KG.):** 3,4



014773BXLN2

#### 014773BXL24

**ACTIVACTION: HAND HELD** TYPE: RALLY CAPACITY (LT.): 2,4 **WEIGHT (KG.):** 4,5



014773BXL24

# 014773BSS2

**ACTIVATION: HAND HELD** 



TYPE: RALLY CAPACITY (LT.): 2 **WEIGHT (KG.):** 2,8



#### 014775BXL2

**ACTIVATION:** HAND HELD TYPE: RALLY CAPACITY (LT.): 2 **WEIGHT (KG.): 2,8** 



**HOMOLOGATION: FIA 8865** 

## HIGHLIGHTS

- FIA (8865-2015) approved pressurised extinguishing system.
- 4.3 Kg of FK-5-1-12 extinguishing agent.
- Electric ignition.
- 3.9 L stainless steel tank diameter 130mm length 346 mm.
- 1 Cockpit nozzle + 1 engine nozzle.
- For 2.3m3 4.1m3 cockpits.




014777EXP

(APPROVED

MANUFACTURER: SPARCO MODEL: 014777EXP HOM. NO: EX.027.21 FIA STANDARD: 8865-2015

## HIGHLIGHTS

- FIA (8865-2015) approved pressurised extinguishing system.
- 3.3 Kg of FK-5-1-12 extinguishing agent.
- Electric activation.
- 2.5l stainless steel tank diameter 114mm, length 302 mm.
- 1 Cockpit nozzle
- + 1 engine nozzle.





014779EXP



MA0142131 + MA0142098



MA0142107



MA0142108



MA0142109



MA0142117



MA0142122



MA0142127



MA0142128 - MA0142129



MA0142133

MA0142134



MA0142135





MA0142023



MA0142163

#### ACCESSORIES



MA0142131 + MA0142098



MA0142107



MA0142109



MA0142117



MA0142122



MA0142127





MA0142128 - MA0142129



MA0142133



MA0142134



MA0142135



MA0142023



MA0142163

**APPROVED** MANUFACTURER: SPARCO MODEL: SP425 HOM. NO: EX.052.18 FIA STANDARD: FIA 2000

SP305

**HOMOLOGATION: FIA 2000** 



## HIGHLIGHTS

**HOMOLOGATION:** FIA 2000

- Electrically operated ultra-light extinguishing system.
- 2.5l stainless steel tank diameter 110mm, length 302 mm.
- AFFF extinguishing agent (2 litres).
- Bullet nozzles.
- Full metal fittings



014778EXL2

## HIGHLIGHTS

- Electrically operated ultra-light extinguishing system.
- 3.9l stainless steel tank. diameter 130mm length 346 mm.
- AFFF extinguishing agent (3 litres).
- Bullet nozzles.
- Full metal fittings.



014778EXL3

#### ACCESSORIES



MA0142103 + MA0142082



MA0142040



MA0142041



MA0142042



MA0142043



MA0142029



MA0142163

230



MA0142030



MA0142023

#### ACCESSORIES



MA0142131 + MA0142098



MA0142042



MA0142040



MA0142041

MA0142043





MA0142163



MA0142030



MA0142023

231

SIM RACING CHAIRS

- 1.3 litre aluminium single-seater extinguishing system.
- Dimension: diameter 106mm lenght 190mm.
- AFFF extinguishing agent (0.9 litres).
- Pressurised to 16 Bar.
- Solid block-machined nozzles, all-metal connectors.



014772FEAL

**FIA** APPROVED

MANUFACTURER: SPARCO MODEL: SP425 HOM. NO: EX.052.18 FIA STANDARD: FIA 2000

## HIGHLIGHTS

**HOMOLOGATION: FIA 2000** 

- Ultra-light, electrically activated extinguisher system.
- Dimension: diameter 160mm lenght 330mm.
- CE certified bottle in stainless steel (tested at over 40 Bar).
- AFFF foam extinguisher (4.25 litres).
- Solid block-machined nozzles, all-metal connectors.





MA0142042





MA0142041



MA0142163

232



MA0142040



MA0142083 MA0142082



MA0142043

MA0142029



MA0142023



MA0142030

#### ACCESSORIES



MA0142042



MA0142041



MA0142163



MA0142040



MA01480

MA0142013 MA0142049



MA0142023



MA0142043

MA0142029



MA0142030

- Mechanically activated extinguisher system.
- Dimension: diameter 160mm lenght 330mm.
- CE certified bottle in steel (tested at over 40 Bar).
   AFFF foam extinguisher (4.25 litres).
- Solid block-machined nozzles, all-metal connectors.



#### ACCESSORIES



MA0142042



MA0142040



MA0142043



MA0142041



MA0142013 MA0142049 MA01480



MA0142029



MA014RL24CL



MA0142023

#### 014773BXLN2

- Ultra-light FIA approved extinguisher.
- 2 litre Novec extinguishing agent.

#### 014773BXLN2



#### 014773BXL24

- Ultra-light FIA approved extinguisher.
- 2.4 litre AFFF extinguishing agent.
- 3.9 litre stainless steel cylinder (h 345 mm diameter 130).

#### 014773BXL24



#### 014773BSS2

- Hand-held extinguisher 2.0 kg EN3 compliant powder.
- Complete with 2 brackets.
- Ultra-light FIA approved extinguisher.

#### 014773BSS2



RACING

U

ES / GLOVES

SEATS

ACING

LIFEST

ESTYLE

TET.

235

# **ACCESSORIES**

FEATURES: Passage adhering to the body shell wherever possible. Accurate manufacturing. Specific boxed reinforcements. Made with certified material. Front suspension fixing points on some models.


- 1A Multipoint welded-in, 25CrMo4 with front suspension
- 1B Multipoint welded-in, Fe45 with front suspension
- 2A Multipoint built-in, 25CrMo4 with front suspension fixing points.
- 2B Multipoint built-in, Fe45 with front suspension fixing points.
- 3A 25CrMo4 roll cage without front suspension
- **3B** Fe45 roll cage without front suspension fixing points.
- **3C** Weld-in roll cage without front suspension point.
- 4 Roll cages with door bars Fe 45.

#### FOR THE COMPLETE APPLICATION LIST PLEASE CHECK PRICE LIST.

■1A-1B


-3A-3B-3C







#### RACING START ADAPTATION KIT



Racing start kit is proposed to upgrade the existing Appendix J roll cages. This kit is composed of 6 tubes to build up the cross reinforcement for the roof and the main roll bar, complete with reinforcement gussets.

#### **DOOR BARS KITS**

2 tubes L 1200 mm Ø40X2, pins welded on one side

4 M10 screws

4 x M10 self-locking nuts

4 forks

2 plugs

007971

2 tubes L 1200 mm Ø40X2 4 shaped tubes L100 Ø40X2

4 sleeves L200 Ø45X2

8 M10 screws

8 x M10 nuts

**ROLL BAR PADDINGS** 



As from 01.01.2003 FIA-approved padding has become compulsory in all types of races and cars, Sparco supplies a material certified in accordance with FIA regulation 8857-2001. in different choices of length and diameter. The paddings are fitted to the roll cages in all possible points of contact with driver with harnesses fastened.





HOM. NO: CP.003.03.A

Ø 50 mm - 500 mm - 122 g - Set 2 pcs





MODEL: FIA PADDING HOM. NO: CP.003.03.A FIA STANDARD: 8857-2001

#### 0076045

Ø 45 mm - 500 mm - 131 g - Set 2 pcs





Ø 40 mm - 500 mm - 129 g - Set 2 pcs





MODEL: FIA PADDING HOM. NO: CP.003.03.A FIA STANDARD: 8857-200

#### 0076035

Ø 35 mm - 500 mm - 135 g - Set 2 pcs

#### **ROLL CAGE FORK**



Ø 40 mm **0078140S** Ø 50 mm **0078150S** 

Fork for tubes' assembly, using plug + fork system (tube diameter 40 mm) (tube diameter 50 mm)

#### **ROLL CAGE PLUGS**



00780M

Pair of perforated sleeves (diameter 45 mm) for tubes' assembly.

#### REINFORCEMENT PLATES + **COUNTERPLATES FIA 2010 UPDATING KIT**



00780P

Kit composed of 4x perforated plates + 4x flat counter plates (3 mm thick). These plates must be adapted in according to the different configurations of roll cages or body shells and allow to update the roll cage fixing in accordance with 2010 FIA regulation.

#### UNIVERSAL GUSSET KIT FOR ROOF

for the user to adapt it to his own roll cage.



00798SP1

Kit composed of 2x universal reinforcement gussets to be mounted on the tubes' cross joint (dimensions 190x85 mm). This is a universal kit so it's could be necessary

#### UNIVERSAL GUSSET KIT FOR DOORBAR CROSS



00798SP2

Kit composed of 4x universal reinforcement aussets to be mounted on the tubes' cross joint (dimensions 100x170 mm). This is a universal kit so it's could be necessary for the user to adapt it to his own roll cage.

#### **ROLL CAGE PLUG**



00782NTS

Forged plug for tubes' assembly, using plug + fork system.

# **ACCESSORIES**

#### **NEW** DRIVER FOOTREST PRO

#### 03814AN1

3mm thick non-slip checkerboard aluminium.

Double plate (lower and upper) for fixing to the floor and adjusting the inclination of the upper plate (4 inclinations available).

Perforations for lightening with anti-tear embossing.

Lower plate with slots to adapt to any type of floor drilling".

Dimensions: 270x43x136mm

#### **NEW** CODRIVER FOOTREST PRO


#### 03814AN2

3mm thick non-slip checkerboard aluminium.

Double plate (lower and upper) for fixing to the floor and adjusting the inclination.

Lower plate with slots.

Dimensions: 270x43x136mm



#### PEDAL SETS

#### 03783L




3-piece set in pre-bent and shaped mixed carbon. Brake and clutch with non-slip inserts.

#### KIT OF 8 STICKERS

#### **BONNET PINS**

Pair of stainless steel bonnet pins with captive slide pin.





ASPA002 016065 01606AA 01606AR

# 270040A

**FUEL CAPS** 



270050A



#### **HAMMERS**

#### 01615



Hammer with seatbelt cutter built-in.

#### **AERO FUEL CAP**

#### 27009G



#### **BATTERY MASTER SWITCH**

#### 01337



Battery master switch with rotating lever. Instant disconnection of all electric circuits. Provision for remote control Complies with FIA spec. Suitable for 6, 12 and 24V systems, rated at 100A continuous.

#### 01336



Bipolar master battery cutout switch with rotating lever. Instant disconnection of master electric circuit. Provision for remote control. Suitable for 6, 12 and 24V systems, rated at 100A continuous.


238 239



Seat side fixing with 1" belts and 2 bar adjusters for fixing to rollbar.

Dashboard side fixing with optional double use:

- Quick release fixing with 1" strap.
- Quick release fixing 2" strap and spring-operated adjuster for better net tension.




#### 002193NR



Seat side fixing with 1" belts and 2 bar adjusters for fixing to rollbar.

Dashboard side fixing with optional double use:

- Quick release fixing with 1" strap.
- Quick release fixing 2" strap and spring-operated adjuster for better net tension.
- Pelican hook system that allows the pre-tensioning of the net as prescribed by the FIA standard.




#### 002194NR



#### **NEW** WINDOW NET SPECIFIC FOR T-SERIES


Compliant with FIA Art.253 annex J. Dimensions: 100 x 50 cm. Strap fastening on all sides.



#### 002198FA-NR

#### WINDOW NETS

In compliance with FIA annex J 253. Dimensions: L. 50 cm. H. 52 cm. Tape for quick fastening to roll bar.



#### PIT SIGNAL BOARD

Pit signal kit. 00594



Cover. 00594C

Number sets.

00592/1

Pit board. 00594T





4row reflection-proof black aluminium frame.

Ø 100 mm



#### DIGITAL PRESSURE GAUGE

Ø 63 mm

2941063A

Scale 0-4 bar, aluminium handle, rubber cap, high-precision recording.

CIRCUIT/RALLY STOP-WATCH



29424103

#### **MAPLIGHTS**

01628

Led Reading lamp, length 49 cm, flexible tube, 12V.



ROAD BOOK



#### **RACERS TAPE**



Universal spare wheel fastening with high-strength tape, complete with locking ratchet, 3 eyebolts and 3 fixing plates.



0169550

Transparent, scratchproof adhesive tape. Roll 50 mm wide x50 m.

- 0169

All-purpose heavy duty racer tape. Roll 50 mm wide x50 metres. 7 different colours.

01692

03776

Aluminised tape. Roll 50 mm wide x50 m.

Cross-key fixing.



#### STEEL TOWBARS FIA

50 mm

FIA annex J 253 compliant.



01627RS50

#### 00 ---

FIA annex J 253 compliant.



01627RS80

#### TOW STRAP FIA

FIA annex J 253 compliant.



#### TOW STRAP (NOT FIA APPROVED)

Hole diameter: 15 mm.



















Racers Group

UTLET





# SUITS INDEX

#### **MADE IN ITALY**

#### PRIME K / PRIME K YOUTH 8877-2022 **ADVANCED**

HOMOLOGATION: FIA 8877-2022 **SIZES:** 44-62 **YOUTH SIZE:** 120-150 **CUSTOMIZATION:** 

ON DEMAND









X-LIGHT / X-LIGHT YOUTH

HOMOLOGATION: CIK-FIA 2013-1

SIZES: 44-62 YOUTH SIZE: 120-150 **CUSTOMIZATION:** 

CUSTOM EASY ON DEMAND









#### **KERB / KERB YOUTH**

HOMOLOGATION: CIK-FIA 2013-1

SIZES: XS-XXL YOUTH SIZE: 120-150 **CUSTOMIZATION:** BY STOCK













**KERB LADY / KERB YOUTH** 

HOMOLOGATION:

CIK-FIA 2013-1

SIZES: XS-XXL YOUTH SIZE: 120-150

CUSTOMIZATION:

BY STOCK







#### THUNDER / THUNDER YOUTH

**HOMOLOGATION:** CIK-FIA 2013-1 SIZES: XS-XXL **YOUTH SIZE:** 120-150 **CUSTOMIZATION:** BY STOCK















#### **ROOKIE / ROOKIE YOUTH**

HOMOLOGATION: NOT HOMOLOGATED SIZES: XS-XXL **YOUTH SIZE:** 120-150 **CUSTOMIZATION:** NOT CUSTOMIZABLE









# PRIME K / PRIME K YOUTH 8877-2022

<u>eparco</u>

NEW

HOMOLOGATION: 8877-2022 SIZES: 44-62 YOUTH SIZES: 120-150 CUSTOMIZATION: FULLY PRINTABLE







Abrasion resistant back protection. Elasticized back panel.



Durable, lightweight and fully printed fabric.



Breathable and perforated fabric inserts.



002310..EBNR






002310..NRGR



002310..NRRS





Hybrid construction with fully printed inserts.



Elasticated anti abrasion back panel.



Ergonomic impact-absorbing padding (on the outside elbow and inside knee).









Breathable inserts on inside leg and underarm.



Elasticated back panel.



New waist adjustment using straps.



002341RNBO..







002341GNBG..



002341NAFB..



002341NBRS..

**KERB LADY** 





Low collar.



Elasticated back panel.



Breathable inserts on inside leg and underarm.





002342NRRS..



002342NRAZ..



002342NRVF..

002342BSGF..

# ROOKIE / ROOKIE YOUTH

HOMOLOGATION: NOT HOMOLOGATED SIZES: XS-XXL YOUTH SIZES: 120-150 (NRRS ONLY)



Under arm elastic insert.



Rear elastic band.



Hidden hip pockets.



002343NRGF..





# T-1 EVO

**WATERPROOF SUIT** 

SIZES: XS-XXL YOUTH SIZES: 120-150

# RAIN CLOAK

SIZES: S/M - L/XL YOUTH SIZES: 130

## HIGHLIGHTS

- 100% thermoplastic polyurethane (TPU).
- Double slider zip.
- Elastic waistband.



Elastic cuff bands.



Light cover flap with velcro.





- 100% thermoplastic polyurethane (TPU).
- Hood with visor with cord and cord stopper.
- Water resistant.



Front button closure.



Pockets with flap.



# K-CARBON


**UNDERWEAR** 

SIZES: XXS - XS/S - M/L - XL MATERIAL: 80% POLYPROPYLENE - 12% POLYAMIDE - 4% ELASTANE - 4% CARBON

## HIGHLIGHTS



Flat seams thanks to the use of the extra thin thread.



X-COOL treatment.



\* Ergonomics fibres.

#### THE ENDLESS CARBON FABRIC THREAD **CREATES AN ANTI-STATIC EFFECT.**



002202NREB.. 002202BIRS..



002203NREB..

002203BIRS..

\* The combination of these fibres promotes ergonomics, softness and comfort, hygroscopicity, breathability, body heat regulation, heat insulation, waterproofing, anti-static and bacteriostatic properties.



# **B-ROOKIE**

**UNDERWEAR** 

SIZES: XS-XXL (YOUTH SIZES 8/10Y-10/12Y)) MATERIAL: 100% COTTON

#### **B-ROOKIE T-SHIRT**

• 160 Gsm • Short sleeve.



002204NR







002204RS 002204AZ



long sleeve.

• 160 Gsm • High collar,

002205NR



002205BI

002205RS

**B-ROOKIE BALACLAVA** 

COMPOSITION:100% cotton

Extra flat seams.



002201BI



002201GF



002201RS



002201AZ



002201NR

#### BASIC BALACLAVA



■ 002231N 002231B

#### X-COOL RECHARGE

The X-COOL refill extends the refreshing treatment on suit and underwear. The application can be done by machine wash.



001157RECHARGE



MATERIAL: MICROFIBER LEATHER SOLE: TPU SOLE WITH DIFFERENTIATED GRIP TEXTURE SIZES: 37-48 CUSTOMIZATION: ON DEMAND





OO1285 BIND

#### K-FORMULA

MATERIAL: TUMBLED LEATHER + MICROFIBER SOLE: OIL AND HYDROCARBON RESISTANT RUBBER SIZES: 32-34-36 ON DEMAND / 37-48 ON STOCK CUSTOMIZATION: ON DEMAND









K-SKID

MATERIAL: TUMBLED LEATHER + PU LEATHER SOLE: OIL AND HYDROCARBON RESISTANT RUBBER SIZES: 35-48 CUSTOMIZATION: ON DEMAND











K-RUN / K-RUN YOUTH

MATERIAL: MESH 3D + MICROFIBER SOLE: OIL AND HYDROCARBON RESISTANT RUBBER SIZES: 35-48 SIZES YOUTH: 26-28-30-32-34 CUSTOMIZATION: BY STOCK













001271..RSBI

K-POLE / K-POLE YOUTH

MATERIAL: MICROFIBER SOLE: OIL AND HYDROCARBON RESISTANT RUBBER SIZES: 35-48 SIZES YOUTH: 28-30-32-34 CUSTOMIZATION: ON DEMAND












K-POLE WP / K-POLE WP YOUTH

MATERIAL: MICROFIBER SOLE: OIL AND HYDROCARBON RESISTANT RUBBER SIZES: 35-48 SIZES YOUTH: 26-28-30-32-34



001269WP..NRNR



# **K-PRIME**

NEW





## HIGHLIGHTS

- Ispired by top-lavel racing boots.
- Upper in smooth microfiber leather.
- Breathable and fresh lining.
- Shock-absorber footbed.
- TPU ultralight sole with differentiated grip texture.
- High abrasion-resistant print on tip and heel parts.



One-piece strap closure system.



Back insert made with elastic fabric for maximum flexibility during the race.










# K-FORMULA

SIZES: 32-34-36 ON DEMAND / 37-48 ON STOCK CUSTOMIZATION: ON DEMAND

# GEOMES O

- Lightweight breathable lining.
- Silkscreen prints.
- Comfort insole.
- Oil and hydrocarbon resistant rubber sole.
- Customizable on demand.







Elastic back insert.





001298..AZGF







- Light and breathable lining.
- Overlap tongue integrated with side.
- Silkscreen printed tumbled calfskin uppers.
- Perforations for maximum breathability.
- Ultra resistant Kevlar loops.
- Comfortable insole.
- Oil and hydrocarbon resistant rubber sole with differentiated grip texture.



Elasticated rear insert.



High abrasion-resistant leather inserts.





<u>eparco</u>



001277..BMBI

001277..NRAF







# K-RUN / K-RUN YOUTH

SIZES: 35-48 YOUTH SIZES: 26-28-30-32-34 CUSTOMIZATION: BY STOCK



- External lacing with strap.
- Ultra-breathable 3D mesh uppers.
- Thin round laces.
- Internal lateral reinforcement insert.
- Anatomical insole.
- Oil and hydrocarbon resistant rubber sole with differentiated grip texture.



Silkscreen printed microfiber uppers with matt finish.



Printed anti-abrasion insert on heel.











001271..AZRS 001271..AZVF








001271..NRGR

# K-POLE / K-POLE YOUTH

SIZES: 35-48 YOUTH SIZES: 28-30-32-34 CUSTOMIZATION: ON DEMAND



## HIGHLIGHTS

- External lacing.
- Thin flat laces.
- Anatomical insole.
- Internal lateral reinforcement insert.
- Oil and hydrocarbon resistant rubber sole with differentiated grip texture.



Silkscreen printed microfiber uppers with matt finish.



Reinforced heel insert.











001269..NRGF

001269..RSBI



001269..NRAF



001269..BMBI

001269..NRAZ



001269..NRNR

# K-POLE / K-POLE YOUTH

WATERPROOF

**SIZES:** 35-48 YOUTH SIZES: 28-30-32-34

# RAIN BOOTS

WATERPROOF

**SIZES:** 35-48 YOUTH SIZES: 24-26-28-30-32

## HIGHLIGHTS

- Evolution of the K-Pole shoe in WP version.
- External lacing with adjustment.
- Microfibre uppers with matt finish.
- Closure system with cables and rotor.
- Internal lateral reinforcement insert.
- Anatomical insole.
- Oil and hydrocarbon resistant rubber sole with differentiated grip texture.





001269WP..NRNR

## HIGHLIGHTS

- Oil and hydrocarbon resistant rubber sole with differentiated grip texture.
- Neoprene 100% with external coating 80% Nylon + 20% Spandex.



# RALLY OVERSHOES

WATERPROOF

**SIZES:** S(38,5-40) - M(40-41,5) L(41,5-43) - XL(43,5-45)

## HIGHLIGHTS

• Overshoes made of natural rubber, ideal to protect sole on wet or abrasive surfaces.



002431..

S GLOVE

SEATS HARNESSES STEERING WHEELS

SIM RACING

LIFESTYLE

LIFESTYLE CAPSULE

TLET

# **GLOVES INDEX**

#### **MADE IN ITALY**

TIDE-K

PRECURVED: YES SEAMS: EXTERNAL SIZES: 8-13 CUSTOMIZATION: ON DEMAND - BY STOCK









**ARROW-K** 

PRECURVED: YES SEAMS: EXTERNAL SIZES: 7-12 CUSTOMIZATION: BY STOCK











**ARROW-K INFINITY** CUSTOMIZATION: ON DEMAND



RECORD

PRECURVED: YES SEAMS: EXTERNAL SIZES: 7-13 CUSTOMIZATION: BY STOCK







PRECURVED: YES SEAMS: EXTERNAL SIZES: 4-13 CUSTOMIZATION: BY STOCK



PRECURVED: NOT SEAMS: INTERNAL SIZES: 4-13 CUSTOMIZATION: BY STOCK














PRECURVED: NOT SEAMS: HEAT-SEALED SIZES: XXS-XL





# TIDE-K

SIZES: 8-13 CUSTOMIZATION: ON DEMAND - BY STOCK



- Thumb joined to back.
- Internal wrist stitching.
- Precurved glove.
- Touch-S on index finger and thumb.
- Polyethylene and cotton jersey fabric.







HTX 3D Volcano palm with differentiated zones.



Ergonomic seam on thumb.












# ARROW-K / INFINITY

SIZES: 7-12 CUSTOMIZATION: ON DEMAND



## HIGHLIGHTS

- External seams.
- Thumb finger with outer stitching.
- Polyethylene and cotton jersey fabric.
- Precurved glove.



Ultra grip silicone palm.



Touch-S on index finger and thumb.



002557..BINR



002557..RSBI 002557..BMBI



002557..NRBI

002557..NRGF



ARROW-K

# RECORD / RECORD WP

#### SIZES: 7-13 CUSTOMIZATION: BY STOCK



## HIGHLIGHTS

- External seams.
- Polyethylene and polyamide jersey fabric.
- Sublimation printed back.
- Reinforced in the carpal area.
- Precurved glove.





Palm with differentiated silicone printed grip.



Adjustment strap.



002555..NRRS 002555..NRBI



## HIGHLIGHTS

- Sublimation printed back.
- Polyethylene and polyamide jersey fabric.
- Wrist with grip print.
- Ultra breathable fabric in the forks.



Synthetic suede leather palm and silicone print.



Internal seams.









002556..RSNR 002556..BXNR 002556..BXVF







002556..VFNR 002556..GRNR

# WP ACCESSORIES

**RECORD WATER PROOF GLOVE** 

SIZES: 4-13 CUSTOMIZATION: BY STOCK

#### HIGHLIGHTS

- External seams.
- Antifreeze fleece lining with rainproof membrane.
- Pre-curved glove.
- Adjustment strap.
- Wrist with grip print.
- Palm with differentiated silicone printed grip.
- Reinforced in the carpal area.



# CRW


SIZES: XXS-XL

## HIGHLIGHTS

- Neoprene with 80% Nylon, 20% Spandex outer coating. Heat-sealed seams.
- Ergonomic preformed palm with silicone print.



00260NR..



PERFORMANCE SEATS HARNESSES

> SIM RACIN CHAIRS

S LIFESTYL CLOTHING

6 LIFESTYLE CAPSULE

OUTLE





# PRO-CARBON NEW 8870-2018



#### HIGHLIGHTS

- Internal foam covered in hypoallergenic fabric and with ventilation channels.
- Automatic elastic adjustment of the side straps and shoulder straps during use.



Ultra-flat front closure system.



Shells made with innovative flexible carbonkevlar for maximum comfort, lightness and fit on the driver.



Flexible back insert to adapt while driving.

## FLEXIBLE LIGHTNESS



002407KNR..

	SIZE	USER CHEST CIRCUMFERENCE (cm)	USER HEIGHT (cm)
KIDS	XS	61,9 - 75	116 to 134
KIDS	S	68,5 - 83	134 to 152
	М	80 - 97	152 to 170
MEN	L	89 - 108	152 to 170
	L WIDE	100 - 120	170 to 188



Possibility of customizing shoulder's pullers and sternum pad stickers with kits supplied in the package in fluorescent yellow and red.





## K-TRACK

HOMOLOGATION: FIA 8870-2018 SIZES: XXS-L YOUTH SIZES: 120-150 SHELL MATERIAL: MULTILAYERED STRUCTURE



## RIB PRO K-4

SIZES: XS-XXL YOUTH SIZES: 140 SHELL MATERIAL: THERMOPLASTIC

#### HIGHLIGHTS



Customizable with direct printing.



Light and easily adjustable.



Stretch kart fabric lining.



FLEXIBLE AND ERGONOMIC ADAPTS TO THE SHAPE OF THE BODY IN THE DRIVER'S SEAT.



002406KNRRS..



002406KNRBI..

#### HIGHLIGHTS



High-strength tape.



Adjustable width.




Ultra-strong strap.





Sparco Impact Technology: the new technology made in SPARCO® developed by combining a 4 mm EPDM material with a 6 mm PU foam that provides an incredible performance in terms of anti-vibration and shock absorber.



## **ACCESSORIES**

SIZES: XS-XXL YOUTH SIZES: 120-140 EXTERNAL MATERIAL: STRETCH POLYESTER

#### HIGHLIGHTS



Preformed and ergonomic back padding.



Elastic band.




Front zip closure.



002402K..

- High shock absorption and anti-vibration performance.
- Great breathability.
- Antibacterial to ensure maximum comfort even during the most intense driving sessions.



#### **ELBOW PADS**

- Stretch, anti-abrasion and breathable outer material.
- En1621-1: 2012 / level 2 certified PU padding.



001551E

#### KNEE PADS

- Stretch, anti-abrasion and breathable outer material.
- En1621-1: 2012 / level 2 certified PU padding.

SIZE: S-M-L



001541K

#### K-RING COLLARS

- High density foam collar.
- Sternum support.
- Back support for load distribution on the shoulder blades.
- Fast and safe closing with internal magnet and external strap.









HOMOLOGATION: SNELL K 2015 SIZES: SMALL SHELL FROM XS TO M+ - LARGE SHELL FROM L TO XL

**HOMOLOGATION:** SNELL K 2015 SIZES: SMALL SHELL FROM XS TO M+ - LARGE SHELL FROM L TO XXL

#### HIGHLIGHTS

- Carbon fiber shell reinforced with carbon-kevlar.
- Double size shell and polystyrene with ventilation ducts.
- Removable, adjustable and washable interiors.
- Predisposed for drink system.
- FIA homologated visor with continuous adjustment.



#### HIGHLIGHTS

- Fiberglass shell reinforced with carbon-kevlar layers.
- Double size shell and polystyrene with ventilation ducts.
- Removable, adjustable and washable interiors.
- Predisposed for drink system.
- FIA homologated visor with continuous adjustment.



	CAR	BON
XS	53-54	0033540XS
S	55-56	00335418
М	57-58	0033542M
M+	59	0033543ML
L	60	0033544L
XL	61	0033545XL





WHITE				
XS	53-54	0033550XS		
S	55-56	00335518		
М	57-58	0033552M		
M+	59	0033553ML		
L	60	0033554L		
XL	61	0033555XL		
XXL	62	0033556XXL		









003355NR

## **ACCESSORIES**

HOMOLOGATION: SNELL CMR 2016 SIZES: XS-S-M-L

#### HIGHLIGHTS

- Fiberglass shell reinforced with carbon-kevlar layers.
- Continuously adjustable visor.
- Shell with ventilation ducts.



## 0033581S 0033582M 0033583L



#### KART COVER

- Outline for the steering wheel, case included.
- Professional, wide to suit any type of kart.







02712R

02712

02712N

#### **NEW** PAD KIT PRO

- New pads designed for greater comfort.
- New anti-vibration material.
- Design adaptable to all seat types.
- Possibility of repositioning the pad thanks to Velcro.
- Black colour.



02720NR

#### TIRE BAG

COMPOSITION: 100% polyester

- Light.
- Very resistant.





**sparco** 

TLET

## SEATS INDEX

#### **MADE IN ITALY**

#### SPX

SHELL MATERIAL: CARBON LINING: LEATHER / ALCANTARA®



#### SPR

SHELL MATERIAL: FIBERGLASS LINING: SKY / MICROFIBER



#### **QRT PERFORMANCE CARBON** / QRT PERFORMANCE

SHELL MATERIAL: QRT CARBON / QRT LINING: LEATHER / ALCANTARA®





SHELL MATERIAL: TUBULAR FRAME LINING: SKY / MICROFIBER



#### **R333**

SHELL MATERIAL: TUBULAR FRAME LINING: FABRIC















SHELL MATERIAL: TUBULAR FRAME LINING: FABRIC / SKY

SKY UPHOLSTERY AND MICROFIBER

SEAT HANDCRAFTED IN ITALY AVAILABLE IN 2 VERSIONS, DRIVER AND PASSENGER

#### HIGHLIGHTS

- Hand sewn.
- Backrest with knob for millimetric adjustment.



Reclining carbon fiber seat that meets the same specifications as those imposed on OEMs.




Leather and Alcantara® upholstery.





00974ZNRSX

00974ZNRDX



#### HIGHLIGHTS

**SPR** 

- 271x345 mm lower fastening.
- Base set for belt branch mount (7/16" thread).




OEM derived recliner.



Fibreglass frames.



00906NRNR



Ė

## QRT **PERFORMANCE CARBON**

**EASY TO INSTALL EVEN IN THE SMALLEST CAR INTERIORS** 

MANUFACTURER: SPARCO MODEL: QRT-C HOM. NO: CS.437.19 FIA STANDARD: 8855-1999

GT

SKY UPHOLSTERY AND MICROFIBER

## HIGHLIGHTS



Made with Carbon fiber or QRT technology.



Leather and Alcantara® upholstery.





**QRT PERFORMANCE** 





008012RPNR




#### HIGHLIGHTS

- 271x345 mm lower fastening.
- Steel tubular frame.



Adjustable headrest.




Tilt lever and back adjustment on both sides.





009012NRBI

009012NR







# R100 / R100 SKY

COMPATIBLE WITH 3 AND 4 POINTS SPORTS SEAT BELTS

**COMPATIBLE WITH 3 AND 4 POINT SPORTS SEAT BELTS** 

#### HIGHLIGHTS

- 271x345 mm lower fastening.
- Steel tubular frame.



Modern design and ergonomic sitting.




Double adjustment lever and rapid tilting.





009011NRRS ■ 009011NRGR ■ 009011NR



#### HIGHLIGHTS

- Tubular frame.
- Double adjustment lever and rapid tilting.
- 271x345 mm lower fastening.




Improved ergonomic: greater lumbar comfort and lowered sitting.





R100 SKY







SKY upholstery.

●009014NRNR

# **ACCESSORIES**

SEAT SLIDES, SUBFRAMES FOR BOTTOM MOUNTING

#### SLIDE RUNNERS KR



0049306

Longitudinal distance 271 mm.

#### **UNIVERSAL FITTING KIT**



00495

#### SET OF SLIDE RUNNERS



#### TILT FORWARD BRACKET

To be fitted between slides ■ **00493** and subframes to allow easy access to the rear seats also on cars with front seats with fixed backrest.



Longitudinal distance 271 mm.



#### UNIVERSAL SUBFRAME ADAPTOR




00497RACE

For racing seats on seat rails.

With mechanism to adjust the height of the seat, for cars with removable slides from the original seat with distance between slides up to 430 mm.







#### CLUB H-4M ■ ■

**ANCHORAGE POINT:** 4 POINTS TYPE: TRACKDAY / STRADALE FIXING: SNAP ON



#### CLUB H-3M DUAL

**ANCHORAGE POINT:** 3 POINTS TYPE: TRACKDAY / STRADALE FIXING: SNAP ON





#### CLUB H-4

**ANCHORAGE POINT:** 4 POINTS TYPE: TRACKDAY / STRADALE FIXING: BOLT ON

#### CLUB H-3

ANCHORAGE POINT: 3 POINTS TYPE: CLUBMAN FIXING: BOLT ON






CLUB H-4M

**NOT FIA APPROVED** 

**HOMOLOGATION:** ECE

#### HIGHLIGHTS

- 5-point harness NOT FIA APPROVED.
- Screw fixings with hole 15 mm or rollcage by removing the accessories.
- Pad with repositionable tape under the straps for greater comfort.
- Abdominal straps with pulldown tongues adjusters.
- 2 Inch leg.



#### HIGHLIGHTS

- 4 fixing points.
- Lap reinforcement.





## CLUB H-3M DUAL

**HOMOLOGATION: ECE** 

#### HIGHLIGHTS

- 3 fixing points, snap on.
- Double buckle snap on.
- Lap reinforcement.







04609RNR

## **ACCESSORIES**

**HOMOLOGATION:** ECE

#### HIGHLIGHTS







## CLUB H-3

• 3 fixing points.







#### GT PAD

Thin microfiber pads.



01090R3RS



01090R3AZ



01090R3NR

#### MINI

Pair of pads in Microfiber with high grip neoprene inner layer.

Useful to improve comfort of driving when fitted on steering wheels or handbrake handle.













01099AZ



01099NR

#### TOW STRAPS

High resistance steel hook.

- Hole diameter: 15 mm.
- Fixed tape.







HAND HELD

EXTINGUISHER |



#### **MUD FLAPS**



kit thickness 1,5 mm.

Not FIA compliant.

Curved polyethylene mud guards

03791RS

• 03791NR

03791 03791AZ Ultra-light extinguisher. 2.0 litre AFFF extinguishing agent. Stainless steel cylinder complete with frame and clamp.



014775BXL2

- 4 fixing points.
- Bolted fixing.















• 04604BV1NR

**HOMOLOGATION:** ECE

#### HIGHLIGHTS

- Bolted fixing.





STEERING WHI

SIM RACIN

CLOTHING

CAPSULE

# STEERING WHEELS INDEX

**TARGA 350** ■ ■ DIAMETER (MM): 350



L777 DIAMETER (MM): 350





R383 CHAMPION ■■ DIAMETER (MM): 330





R330 CHAMPION ■■ DIAMETER (MM): 330



L505 DIAMETER (MM): 350



L360 DIAMETER (MM): 330





L575 DIAMETER (MM): 350







R383 CHAMPION

MATERIAL: LEATHER


MATERIAL: PERFORATED LEATHER

#### HIGHLIGHTS






New horn button colour kit included.





# HIGHLIGHTS • Perforated leather.





L777

MATERIAL: LEATHER / SUEDE


## R330 CHAMPION

MATERIAL: PERFORATED LEATHER

#### HIGHLIGHTS



New horn button colour kit included.



#### **LEATHER**

015L800PL


## SUEDE



015L800SC

#### HIGHLIGHTS

• Perforated leather.





015R330CHAMPION

L575

MATERIAL: SMOOTH / PERFORATED / SUEDE LEATHER

MATERIAL: LEATHER / SUEDE

#### HIGHLIGHTS

• Smooth/perforated/suede leather.



New horn button colour kit included.







#### HIGHLIGHTS



New horn button colour kit included.





**LEATHER** 



SUEDE

015L750PL

015L750SC


MATERIAL: LEATHER / SUEDE

# L360

## HIGHLIGHTS



New horn button colour kit included.



**LEATHER** 

015TRGL1TUV

SUEDE



015TRGS1TUV



## **ACCESSORIES**

#### **MADE IN ITALY**

#### HUB

#### FOR THE APPLICATION LIST PLEASE CHECK PRICE LIST.

Sparco collapsible hubs are cast iron made with a steel frame that collapse during impacts. This item absorbs kinetics energy avoiding transfer to the driver. The Sparco steering wheels are  $T\ddot{U}V$ approved only if coupled with the Sparco hubs.



#### HORN DELETE KIT

0159ZMNR

0159ZNR POLISHED CARBON



#### QUICK RELEASE

#### **RACING PUSH BUTTONS KIT**

015NE981

RING

#### 015R98TU





In aluminum with CNC milled steel toothed core. Quick release hub for 6-hole steering wheels with mounting on specific vehicle hub.

Black anodized supports with push buttons.

#### ANODIZED STEERING WHEEL SPACERS



01595ANR 01595ANT

#### 01599NR

# PEDAL SET **GEAR KNOBS**

#### PIUMA

#### SETTANTA



03741BN01

Lightened grey/black gear knob.



03741BT01



03736AT



Titan/black two colour gear knob.

#### CARBON







03783L (NO ECE)

#### 3-piece set in mixed carbon. Pre-bent and shaped. Brake and clutch with non-slip inserts.

#### SETTANTA - ECE HOMOLOGATED

# 037879IT01


Lightened universal black or silver pedal.





0378790P01





332

Anodized aluminium.



IM RACING CHAIRS

LIFESTYLE

CAPSULE

TLET

## INDEX

#### **EVOLVE GT-R**

**EVOLVE GT-R PRO NEW** 

FRAME + PRO BRACKETS + CIRCUIT II SEAT



G0328011GNR

**EVOLVE GT-R RIG I NEW** 

FRAME + PRO BRACKETS + CIRCUIT II SEAT + FANATEC SIM KIT + **R330 LEATHER STEERING WHEEL** 



G035018011GNR



**EVOLVE GT-R RIG II NEW** 

FRAME + PRO BRACKETS + CIRCUIT II SEAT + FANATEC SIM KIT + R330 LEATHER STEERING WHEEL + MONITOR STAND + MONITOR + PC + KEYBORD



**EVOLVE GP PRO** 

FRAME + MONITOR STAND + PRO BRACKETS + GP SEAT



EVOLVE GP RIG I NEW

EVOLVE GP RIG II NEW

FRAME + MONITOR STAND + PRO BRACKETS + GP SEAT + FANATEC SIM KIT + P310 OPEN STEERING WHEEL

FRAME + MONITOR STAND + PRO BRACKETS + GP SEAT + FANATEC SIM KIT +

P310 OPEN STEERING WHEEL + MONITOR + PC + KEYBORD





#### EVOLVE KART

**EVOLVE KART PRO** 



G03900

**EVOLVE KART ENDURANCE** 

FRAME + KART PRO BRACKETS + KART SEAT

FRAME + KART ENDURANCE BRACKETS + KART ENDURANCE SEAT



G03920

**EVOLVE KART RIG I NEW** 

FRAME + KART PRO BRACKETS + KART SEAT + FANATEC SIM KIT + **KG345 STEERING WHEEL** 



G03905



G03904

**EVOLVE KART RIG II NEW** 

FRAME + KART PRO BRACKETS + KART SEAT + FANATEC SIM KIT + KG345 STEERING WHEEL + MONITOR STAND + MONITOR + PC + KEYBORD



## HIGHLIGHTS

Bundle EVOLVE GT-R RIG II bundle consisting of:

- Evolve GT-R PRO.
- FANATEC SIM KIT (CSL DD 8NM, CSL pedals + Load Cell, Quick Release, Universal Hub v2).
- R330 leather Racing steering wheel.
- PC AK RIG Sparco Edition.
- LOGITECH K400+ wireless keyboard.
- TM-STAND PRO monitor support.
- Samsung ODYSSEY G9 curved monitor - 49" QLED.

#### EVOLVE GT-R RIG II



## HIGHLIGHTS

Bundle EVOLVE GT-R RIG II bundle consisting of:

- Evolve GT-R PRO.
- FANATEC SIM KIT (CSL DD 8NM, CSL pedals + Load Cell, Quick Release, Universal Hub v2).
- R330 leather Racing steering wheel.

#### EVOLVE GT-R RIG I







G034018011GNR





G035018011GNR

339

# EVOLVE GT-R ACCESSORIES

#### HIGHLIGHTS

- Evolve GT-R frame.
- GT-R PRO brackets kit.
- CIRCUIT II gaming seat.

#### EVOLVE GT-R PRO







#### EVOLVE GT-R FRAME



#### PRO GT-R BRACKETS



**G02400NRRS** 

#### EVOLVE - RHS

Gear shift and RIGHT handbrake support for EVOLVE GT-R.

Allows all handbrake and sequential gear shifts on market.



#### EVOLVE - LHS

Gear shift and LEFT handbrake support for EVOLVE GT-R.



G0328011GNR

340

EAMWEAR LIFESTYLE CLOTHING

AMWEAR IFESTYLE

## HIGHLIGHTS

Bundle EVOLVE GP RIG II bundle consisting of:

- Evolve GP PRO.
- FANATEC SIM KIT (CSL DD 8NM, CSL pedals + Load Cell, Quick Release, Universal Hub v2).
- P310 Open Racing steering wheel.
- PC AK RIG Sparco Edition.
- LOGITECH K400+ wireless keyboard.
- Samsung ODYSSEY G9 curved monitor - 49" QLED.

#### EVOLVE GP RIG II



## HIGHLIGHTS

Bundle EVOLVE GP RIG II bundle consisting of:

- Evolve GP PRO.
- FANATEC SIM KIT (CSL DD 8NM, CSL pedals + Load Cell, Quick Release, Universal Hub v2).
- P310 Open Racing steering wheel.

#### EVOLVE GP RIG I











## HIGHLIGHTS

- Integrated monitor support (from 24" to 49").
- Adjustable steering wheel and pedal support.
- Seat with fibreglass frame and customisable padding.

#### **EVOLVE GP PRO**









G03800NR

G03800RS

G03800NRSKY

#### F1 STYLE DRIVING POSITION SEATES

GP **GP SKY** 



008026GNR

008026GNRSKY

Aftermarket brackets Kit for GP cockpit seat. (NO EVOLVE GP)

**GP BRACKETS KIT** 

AFTERMARKET ■ ■

G02500NRRS



## **EVOLVE KART** NEW

COCKPIT WITH DRIVING POSITION DERIVED FROM THE REAL KART CHAMPIONSHIP FRAMES.

## HIGHLIGHTS

Bundle EVOLVE KART RIG II bundle consisting of:

- Evolve KART PRO.
- FANATEC SIM KIT (CSL DD 8NM, CSL pedals + Load Cell, Quick Release, Universal Hub v2).
- KG345 Karting steering wheel.
- PC AK RIG Sparco Edition.
- LOGITECH K400+ wireless keyboard.
- TM-STAND PRO monitor support.
- Samsung ODYSSEY G9 curved monitor - 49" QLED.

#### EVOLVE KART RIG II



## HIGHLIGHTS

Bundle EVOLVE KART RIG II bundle consisting of:

- Evolve KART PRO.
- FANATEC SIM KIT (CSL DD 8NM, CSL pedals + Load Cell, Quick Release, Universal Hub v2).
- KG345 Karting steering wheel.







G03904



EVOLVE GT-R RIG I



G03905

346

#### COCKPIT WITH DRIVING POSITION DERIVED FROM THE REAL KART CHAMPIONSHIP FRAMES.

**EVOLVE KART PRO** 

#### HIGHLIGHTS

#### • Evolve Kart frame.

- Kart PRO brackets kit.
- Kart PRO adult seat.







G03900

#### **EVOLVE KART PRO-JUNIOR**

348

Complete kit with small seat, suitable up to 12 years.





#### G03910

# **EVOLVE KART PRO ACCESSORIES**

#### EVOLVE KART FRAME

Evolve kart frame. Specific for kart driving position, complete with fiberglass fairings with dedicated kart inspiration graphics. Pedal support adjustable longitudinally, vertically and in inclination. Axial and inclination adjustable support.





#### SIM KART PRO/JUNIOR BRACKETS

For EVOLVE KART frame and KART PRO and PRO JUNIOR seat.



G02402NR

- New density, softer.
- Colour: black.



02720NR

#### **EVOLVE KART PRO SEAT**



#### **EVOLVE KART PRO JUMIOR SEAT**

**PRO JUNIOR** Seat suitable up to 12 years.



349

## 081989NR NEW KIT PAD PRO • Adaptable to any type of seat.

## **EVOLVE KART ENDURANCE**

EVOLVE KART ENDURANCE ACCESSORIES

COCKPIT WITH DRIVING POSITION DERIVED FROM THE REAL KART CHAMPIONSHIP FRAMES.

#### HIGHLIGHTS

- Evolve Kart Endurance frame.
- Kart Endurance brackets kit.
- Kart Endurance adult seat.

#### **EVOLVE KART ENDURANCE**







#### G03920

#### SIM-KART ENDURANCE SEAT



#### PRO ENDURANCE SEAT BRACKETS

For EVOLVE KART frame and SIM-KART ENDURANCE seat.



G02401NRRS

# **SIM RACING**

**NOT FIA APPROVED** 

#### RALLY / GT DRIVING POSITION

PRO ADV

008017GNR



**CIRCUIT II** 

008011GNR

**CIRCUIT I** 

008010GNR

#### **OPTIONAL CUSHIONS**

Pair of lumbar side backrests.

01022RS 01022AZ

• 01022NR



SIM RACING ACCESSORIES

Universal lumbar backrest.



01023

#### QRT-R

008012GNR



PR02000

008016GNR



EV0

008007GNR



EVO L

008013GNR



008015GNR



#### **EVO XL**





**EVO GAMING 77 WRAP** 

008007WG77NR

PR02000 FLU0

008016GFLNRGF



**PRO2000 FLUO** 




#### **COCKPIT FLOOR MAT**

Sparco gaming cockpit floor mat.

DIMENSION: 180 x 120 cm

Graphic printed on resistant TNT (non-woven fabric). Washable.





099101NRRS

#### TM-STAND PRO

Height-adjustable tv monitor stand, up to 49 ".

VESA mount 75x75 and 100x100. New side reinforcement bodies and dimensions implemented for maximum compatibility with all cockpits on the market. Perfect in combination with EVOLVE GT-R and EVOLVE KART.

L/D/H 625 mm x 460 mm x (920-1094 mm).

Compatible with EVOLVE KART and EVOLVE GT-R.



352

# **ELECTRONIC DEVICES AND STEERING WHEELS**

#### NEW FANATEC SIM KIT

FANATEC SIM KIT consisting of:

- Servo-base CSL DD 8NM + Boost Kit 180.
- CSL Pedals + Load Cell.
- Quick Release.
- CSL Universal HUB V2.





G02701

#### WIRELESS HEADPHONE RACE PRO

PRO wireless gaming headphones.

- Bluetooth chipset: ATS 3015.
- Bluetooth: V5.1.
- Speaker Driver: 40mm.
- Battery capacity: 1000mAh.
- Playing time: 20 hours.
- Standby time: 100 hours

#### NEW HEADLIGHT SPEAKERS PRO

Speakers 2.1 system - USB.

- Frequency: 150Hz-20KHz. - SNRD>30dB.
- Input sensitivity: 650 mv.
- Power Input: DC 5V.







MG0230044

#### R330

#### P310 OPEN

- **NEW** KG 345

- Hole interaxis: 6x70 mm.
- Leather upholstery
- Open top, ideal for GT cars.
- Hole interaxis: 6x70 mm.
- 350 mm diameter.
- Black Alcantara® upholstery,



015R330CL0






015P3100PN

STEERING WHEELS INDEX PG. 192





# **HYPERGRIP+**

**GAMING GLOVES** 

**SIZES:** 8-12

## **SIZES:** 8-12

**GAMING GLOVES** 

#### HIGHLIGHTS

- Updated version of the iconic gaming glove.
- Improved fit.
- Improved pad ergonomics.
- Close fit.
- Elastic cuffs.



Added grip zones for better performance.



Touch-sensitive thumb and index finger.





002095..NRRS



002095..NRAZ





002095..NRGF

#### HIGHLIGHTS

**HYPERGRIP** 

- Perforations in the part of the palm that separates the fingers.
- Micro-perforated microfibre on the palm guarantees maximum ventilation without compromising grip.
- Protective foam pads on the alm reduce the stress exerted on the hand.
- Touch-sensitive thumb and index finger.



002094..NRRS

## **MECA III**

**GLOVES** 

COMPOSITION: 47% POLYESTER 35% SUEDE 18% ELASTANE

#### HIGHLIGHTS

- The backs of Meca-3 gloves are made from elasticised, printed, scuff resistant fabric.
- The palms are in synthetic, scuff resistant hide and there are reinforcements positioned between thumb and index finger.
- Pads between the fingers provide better breathing.
- Strap for tighter fitting.





002093BMAF 002093AZ



002093NR


002093RS

# HYPERDRIVE GAMING SHOES

**SIZES:** 38-46



- Shaped ankle to facilitate movement.
- Reflective tape on back.
- Microfibre reinforcements on toe and heel.
- Ergonomic fussbett.
- Racing-inspired sole.



Knitted sock upper with differentiated structures. Ultra breathable.



Fluorescent Logo and Skid.







001293..NRRS



001293..NRGF



001293..NRVF

## HYPERSPEED

**DRIVING SOCKS** 

**SIZES:** 38/39 - 40/41 - 42/43 - 44/45 - 46/47 COMPOSITION: 100% NYLON MICROFIBER SOCK WITH SILVER IONS, HYPOALLERGENIC


## **B-ROOKIE**

T-SHIRT SHORT SLEEVE

SIZES: S-XXL **COMPOSITION: 100% COTTON** 

#### HIGHLIGHTS

- Maximum comfort and breathability.
- Heel tab at back for easy pull-on.



Structure with silicone yarn to maximise the grip.



Asymmetrical Plastisol coating for achieving maximum performance.



Heel reinforced with Cordura®.





Comfort configuration (with removable insole)



Feeling configuration (No insole).



01290NRGF..



01290NRVF..

#### HIGHLIGHTS

- Soft cotton 160 GSM.
- Short sleeve.



## **B-ROOKIE**

T-SHIRT SHORT LONG SLEEVE

**COMPOSITION: 100% COTTON** 

- Soft cotton 160 GSM.
- High collar and long sleeve.



002205NR







002205AZ



002205RS




002205GF




## TORINO

CHAIR SUPPLIED WITH LUMBAR AND CERVICAL CUSHIONS INCLUDED



- Special VEP and SKY multi-material zone upholstery.
- Cushions and accessories easily installed with strap on VEP.
- Reclining backrest.
- Anti-tip device with backrest lock at 150°.
- Base with SGS/BIFMAX5.1/EN1335 certified piston.
- High resistance polymer spoke with 5 solid wheels.




Seat adjustable in height and inclination.



3D armrests with multidirectional movement.













00999NRGF 00999NRAF 00999NRAZ 00999NRVF 00999NRNR Warning: this seat must not be used in a car, it is not a car seat.

SEAT VARIANT WITH FABRIC UPHOLSTERY CUSTOMIZATION: EASY CUSHION APPLICATION ON VEP AREA

## ICON

SPARCO R100S REPLICA SPORTS CAR SEAT

#### HIGHLIGHTS

- Special VEP and fabric multi-material zone upholstery.
- Reclinable backrest with micrometric lumbar adjustment.
- Cushions and accessories easily installed with strap on VEP.
- Anti-tip device with 150° backrest lock.
- Base with SGS/BIFMAX5.1/EN1335 certified piston.
- High resistance polymer spoke with 5 solid wheels.




Seat adjustable in height and inclination.



2D armrests with multidirectional movement.








Warning: this seat must not be used in a car, it is not a car seat.

#### HIGHLIGHTS

- Reclinable backrest with micrometric lumbar adjustment.
- Anti-tip device with 150° backrest lock.
- Base with SGS/BIFMAX5.1/EN1335 certified piston.
- High resistance polymer spoke with 5 solid wheels.



Seat adjustable in height and inclination.



2D armrests with multidirectional movement.







Warning: this seat must not be used in a car, it is not a car seat.

## **GP LOUNGE**

**ACCESSORIES** 

LOUNGE CHAIR WITH VEP OR SKY UPHOLSTERY **CUSTOMIZATION: ON DEMAND** 

#### HIGHLIGHTS

- Ergonomic chair with F1 style position.
- Fiberglass monocoque seat with VEP or SKY upholstery and removable cushions.
- Lined removable leg rest cushion.



Design tubular frame.



Integrated footrest.





Warning: this seat must not be used in a car, it is not a car seat.

#### **CHAIR FLOOR MAT**

**DIMENSION:** 97,5 x 110 cm. Hexagonal shape. Graphic printed on TNT. Light and resistant. Washable.





#### CUSHIONS (STINT AND ICON EXCLUDED)

Ergonomic head cushion.

Universal lumbar backrest.

Lumbar side backrest kit.





099102NRRS



01024NR

01023NR

01022RS01022AZ01022NR

#### **ARMRESTS COVER**

Compatible with all chairs (Stint excluded).



#### PRO CASTER WHEELS

Compatible with all chairs.





## WINTER JACKET

SIZES: XS-3XL COMPOSITION: 100% POLYESTER CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND



#### HIGHLIGHTS

- 2-Layer fabric, waterproof, windproof.
- Double density padding stratification, optimised for extreme climate conditions.
- #9 high strength chain central zip.
- Neck cuff with magnetic closure.
- Elastic cuff inserted in the sleeve bottom.

#### Hooded winter jacket.

#### On demand colour



MTT01002BM







MTT01002AR804C



MTT01002CE









01361GRNR..

01361BMNR..

01361NRAZ..

01361NR..

WINDBREAKER

SIZES: XS-3XL COMPOSITION: 100% POLYESTER **CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND** 

SIZES: XS-3XL COMPOSITION: 100% POLYESTER **CUSTOMIZATION:** FULLY CUSTOMIZABLE ON DEMAND

#### HIGHLIGHTS

- 3-Layer fabric, waterproof, windproof, with coupled internal fleece.
- Stretch side inserts for comfort and superior fitting.
- Neck cuff with magnetic closure.
- Coated zips.
- Elastic cuff inserted in the sleeve bottom.

Softshell with comfort interior.

#### On demand colour



MTT01002BM







MTT01002NR

MTT01002AR804C

#### HIGHLIGHTS

- 2-Layer fabric, waterproof, windproof.
- Internal edged seams.
- Hood finished with Sparco customisations.
- Coated zips.
- Drawstring bottom adjustment.

#### Light hooded windbreaker.

#### On demand colour



MTT01002BM





MTT01002CE





MTT01002AR804C



















01365NR..

01363GRNR..

01363BMNR.. 01363NRAZ.. 01363NR..

**FULL ZIP SWEATSHIRT** 

SIZES: XS-3XL COMPOSITION: 53% COTTON, 41% POLYESTER, 6% ELASTANE CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND

SIZES: XS-3XL COMPOSITION: 100% POLYESTER CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND

#### HIGHLIGHTS

- Custom coated central zip.
- Reversible, divisible zips.
- Side stretch inserts.
- Internal side pocket.
- Preformed comfort collar.

Windproof, padded, light and lined fabric vest.

#### On demand colour









MTT01002NR

# MT0100008AZ MTT01002CE MTT01002AR804C



#### HIGHLIGHTS

- Trimmed double faced main fabric.
- Stretch side inserts.
- Stretch inserts on the wrists.

Full zip sweatshirt with coated zips.





01362GRNR..



01362BMNR..



01362NRAZ..



01362NR..



01366BMNR..



01366GRNR..

POLO ZIP NEW

SIZES: XS-3XL COMPOSITION: 93% POLYAMIDE, 7% ELASTANE CUSTOMIZATION: CUSTOMIZABLE UPON REQUEST

MAN SIZES: XS-3XL LADY SIZES: XS-L COMPOSITION: 96% COTTON, 4% ELASTANE

#### HIGHLIGHTS

- Button down collar.
- Transparent buttons.
- Contrasting collar in Sparco blue.
- Patch woven and sewn on the placket.



013049..



Man

Lady

 Made of technical fabric with printed Sparco logos.







013049L..



013036BI..



013036LBI..



013036BM..



013036LBM..



013036LNR..

Man

013036NR..

## CORPORATE

TROUSERS / SHORTS

SIZES: XS-3XL COMPOSITION: 97% TWILL COTTON - 3% SPANDEX CUSTOMIZATION: ON DEMAND

## DENIM JEANS

SIZES: XS-3XL COMPOSITION: 98% cotton, 2% elastane

#### HIGHLIGHTS

#### Regular fit.

- Closure with zip and botton.
- Sparco label on back pocket.
- Sparco embroidery on right pocket.



Sparco embroidery on pocket.

#### **TROUSERS**



#### SHORTS

01394BM..







01395BM..

#### HIGHLIGHTS

#### Slim fit.

- Denim Jeans stonewashed.
- Sparco fabric labels.
- Original Sparco leather patch.



Sparco embroidery on pocket.



013051BM..



## **LEISUREWEAR**

#### **NEW FRAME VEST**

SIZES: XS-3XL

COMPOSITION: 100% polyester

- Vest made of technical fabric with printed Sparco logos.
- Outer: 100% matt polyester with TPU membrane (water resistant), 110 g/sqm.
- Knitted softshell side panels.
- Lining: 100% nylon Padding: 100% down-like polyester, 140 g/sqm.
- External WR zip pocket. Internal pocket on the left side.







013050BM..

#### WILSON WINDSTOPPER

SIZES: S-3XL

COMPOSITION: 100% polyester









#### **NEW** KNITTED COTTON VEST

SIZES: S-XXL

COMPOSITION: 100% cotton

- Knitted "V" neck vest with contrasting color details.
- Embroidered logos.







013052BM..

#### POLO CORPORATE

SIZES: S-XXL COMPOSITION: 100% cotton

#### POLO CORPORATE LADY SIZES: S-L

COMPOSITION: 100% cotton







01322NR..



01323BI...

## ORIGINAL & 1977

#### COLLECTION

# **FRAME**



SIZES: S-XXL COMPOSITION: 65% cotton



#### SIZES LADY: S-L COMPOSITION:

65% cotton 35% polyester



T-SHIRT ORIGINAL



01329GR..

01329BM..



T-SHIRT FRAME

HOODIE FRAME LADY

SIZES: S-L COMPOSITION: 65% cotton 35% polyester



SIZES: S-XXL COMPOSITION: 65% cotton 35% polyester

HOODIE 1977



T-SHIRT 1977

SIZES: S-XXL COMPOSITION: 65% cotton 35% polyester



01329NR..

SIZES: S-XXL COMPOSITION: 65% cotton, 35% polyester





#### SPORT DRIVE WOOL GLOVE

SIZES: S-XL COMPOSITION: 38% polyester, 26% wool, 26% acrylic, 5% PU, 5% leather



002082..BM

#### T-SHIRT VINTAGE

SIZES: S-XXL COMPOSITION: 65% cotton 35% polyester



01326BM..

#### T-SHIRT FRAME LADY

SIZES LADY: S-L COMPOSITION: 65% cotton 35% polyester



01325RS..

#### CREW NECK SWEETSHIRT

SIZES: S-XXL COMPOSITION: 100% cotton



## S-TIME

**SIZES:** 37-48 **SIZES:** 36-46





#### HIGHLIGHTS

- White and amber rubber outsole.
- Microfiber upper.
- Lining with pad around the ankle.







0012B4..BIRS

#### HIGHLIGHTS

- Rubber casual outsole.
- Comfort insole.
- Padding around the ankle.





0012B3..BIAZ



0012B3..BIVD



0012B3..NRBI

## S-DRIVE

**SIZES:** 36-47 **SIZES:** 36-47





- Microfiber upper.
- Racing sole.
- Shock absorber and breathable insole in recycled PU with antibacterial treatment.





0012A8..BIBM



0012A8..BMBI



HIGHLIGHTS

- Microfiber and fabric upper.
- Racing sole.
- Shock absorber and breathable insole in recycled PU with antibacterial treatment.
- Breathable fabric tongue.









0012A7..BMRS







#### HIGHLIGHTS

- Breathable mesh upper with reflective prints.
- Three-dimensional reinforcement print.
- Rubber and phylon sole for maximum grip and comfort.
- Comfortable and anti-bacterial insole.
- Tongue with elastic inserts for maximum foot stability.
- Reflective inserts.







- Tip with ultra-resistant coated reinforcement.
- Breathable mesh lining.
- Energy absorption heel.
- Easy lacing.
- Phylon sole and oil and hydrocarbon resistant rubber bottom.
- SRA level slip resistance.





001289..NRNR

DIMENSIONS: H40 X L84 X P38 CM WEIGHT: 4,7 KG CAPACITY: 127 LT MATERIAL: COATED POLYESTER

## **TRAVEL**

**SOFT CABIN SIZE TROLLEY** 

DIMENSIONS: H25 X L55 X P35 CM WEIGHT: 3 KG CAPACITY: 48 LT MATERIAL: COATED POLYESTER

#### HIGHLIGHTS

- Double adjustable closure with seat belt style straps.
- Protective padding with racing suit style quilting.
- Lower compartment (2/3).
   Reinforced on the underside.
- Trolley with reinforced wheels.
- Upper compartment (1/3)
  with zip opening.
   Repositionable internal partition.
   Multi-pocket compartment with net.
- Repositionable internal partitions.
   Customised Sparco inner lining.



#### HIGHLIGHTS

- Telescopic handle.
- Double adjustable closure with seat belt style straps.
- Protective padding with racing suit style quilting.
- Trolley with reinforced wheels.
- Front document pockets.
   Customised Sparco inner lining.
- Reinforced on the underside.







016437NRRS













TEAL

===

## DAKAR

**LARGE DUFFLE BAG** 

DIMENSIONS: H70 X L40 X P40 CM CAPACITY: 110 L MATERIAL: WATERPROOF TPU / POLYESTER

#### DAKAR **SMALL DUFFLE BAG**

DIMENSIONS: H53 X L32.5 X P32.5 CM CAPACITY: 60 L MATERIAL: WATERPROOF TPU / POLYESTER

#### HIGHLIGHTS

- Can be used as a backpack or duffel bag.
- Detachable and adjustable shoulder strap.
- Hidden rain-proof zip.
- Transparent address holder.
- Washable interior.
- Printed logo and also applied on the sides of the product with a rubber label.

#### LARGE.



#### HIGHLIGHTS

- Can be used as a backpack or duffel bag.
- Detachable and adjustable shoulder strap.
- Hidden rain-proof zip.
- Transparent address holder.
- Washable interior.
- Printed logo and also applied on the sides of the product with a rubber label.

#### SMALL.













016442NRAZ







016442NRRS







016442NRNR

016443NRAZ

016443NRNR 016443NRRS

394

**BACKPACK** 

DIMENSIONS: H52 X L40 X P20 CM WEIGHT: 1,10 KG CAPACITY: 42 LT MATERIAL: COATED POLYESTER

## STAGE

RUCKSACK

DIMENSIONS: H40 X L30 X P14 CM WEIGHT: 0,76 KG CAPACITY: 16 LT MATERIAL: POLYESTER

#### HIGHLIGHTS

- Two sub-funds.
- 15.6 "Pc holder and 11" tablet.
- Large front pocket and side pockets.
- Ergonomic backrest.
- Organized interiors.
- Lifting handle covered in soft touch material.
- Padded and adjustable shoulder straps.



#### HIGHLIGHTS

- 2 hidden front pockets with graphics that echo the Sparco seat belt slider.
- Ergonomic padded and back lined with breathable mesh, horizontal band for inserting telescopic trolley bag handle.
- Padded seat belt style shoulder straps.
- Inner pocket for inserting PC up to 15". Customised Sparco inner lining.











016440NRRS







016440NRAZ 016440NRNR

**HELMET HAND F.H.R COLLAR BAG** 

DIMENSIONS: H35 X L35 X P40 CM WEIGHT: 1,3 KG CAPACITY: 49 LT MATERIAL: POLYESTER

### TRIP

**BAG WITH SHOULDER STRAP** 

DIMENSIONS: H35 X L66 X P38 CM WEIGHT: 2,1 KG CAPACITY: 87 LT MATERIAL: POLYESTER

#### HIGHLIGHTS

- Helmet drying system with USB 12V power cable.
- Fan cover.
- Protective padding with racing suit style quilting. Customised Sparco inner lining.
- Seat belt style shoulder strap.



016441NRSI

#### HIGHLIGHTS

- Double handle with seat belt style straps.
- Customised Sparco inner lining.
- Internal pocket with zip closure.
- Protective feet for the underside.



016439NRSI

## BAJA

**MULTINECESSAIRE** 

DIMENSIONS: L22 X 12 X 12 CM
CAPACITY: 3,2 LT MATERIAL: POLYESTER

## **CO-DRIVER**

BAG

DIMENSIONS: H35 X L30 X P10 CM CAPACITY: 10,5 LT MATERIAL: POLYESTER

#### HIGHLIGHTS

- Material: TPE laminated fabric, polyester.
- D-opening with flap and hinges.
- The internal clip allows you to hang the need for a easier use.
- Internal pockets for small objects.



#### HIGHLIGHTS

- Supplied with shoulder strap.
- Interior divided into 2 compartments with contrasting lining.
- Several pockets and external pocket in transparent PVC.
- Back with ribbons and eyelets for anchoring with rollbar.



0164281NR

EAMWEAR LIFESTYLE

> & LIFESTYLE CAPSULE

.

#### FLEXFIT - ORIGINAL CAP

COMPOSITION: 63% Polyester, 34% cotton, 3% PU baseball cap with elastic band spandex. SIZES: S-M, L-XL









01357BM.. 01357AZ..

01357NR.. 01357BI..

#### SUEDE

100% Suede cotton six-panel cap with 3d embroidered logo.

#### STRETCH

100% Polyester technical fabric five-panel cap with raised tpu rubber logo.



Sparco 1977

01352BM









01353BM

TRUCKER

ovc rear mesh

for ventilation. Embroidered patch on the front.

400

01353GR

01353NR

01351BM

01351NR

#### **BEANIE REFLEX**

COMPOSITION: Trucker cap with 50% Wool visor and 100% 50% Acrylic fabric cotton suede front panel and 100%



01354AZBM

#### **BEANIE WINDY**

COMPOSITION: 100% Acrylic fabric



01232BMAZ

#### NEW ICONIC DESIGN SOCKS

COMPOSITION: 80% Combed Cotton, 17% Polyamide, 3% Elastane SIZES: 36/40 (N1) - 41/46 (N2)







099144H..







099144SW..

#### NEW SUNGLASSES

**CE COMPLIANT** (EN ISO 12312-1 CAT.3 - EU 2016/425) + UKCA



• Sunglasses made of coated

bamboo and all- overmirrored lense.

- UV400 protection.
- RPET felt case with FULL EFFICIENCY print.

#### LOGO BELT

DIMENSIONS: 120 cm H 4cm Nickel free



01356NR



01356AZ

#### **GOLF UMBRELLA**

Automatic polyester umbrella. Ø 130 cm



#### LED UMBRELLA

Foldable automatic polyester umbrella with light. Ø 96 cm



#### PADDOCK

The foldable paddock Chair has an aluminum frame and is finished in coloured Oxford 600D fabric. The soft arms are padded for maximum comfort.



#### POUF

Soft pouf diameter 40 cm, height 40 cm, with printed S logo in the upper surface.



0750006B

HOME OF MOTORSPORT

#### NEW LIGHT BACKPACK

#### DIMENSIONS:

29x42x18cm

Foldable travel backpack with internal pocket. Adjustable shoulder straps. 100% Polyester.



0160037GR

#### **SPORTSACK**

#### **DIMENSIONS:**

sparco de la constantia del constantia de la constantia del constantia del constantia de la constantia de la constantia de la constantia del constantia

0160013NR

33x51 cm

#### **SUIT BAG**

**DIMENSIONS:** 

44x35 cm



016BLU07

#### GYM TOWEL

DIMENSIONS: 100x50 cm COMPOSITION: 90% Polyester, 10% Nylon



#### CLOTHES HANGER



099073

<u>sparco</u>

0160013AZ

099091AZ

#### TAPPETO INGRESSO

#### DIMENSIONS:

120x80 cm



#### 099058

#### WINDSHIELD BANNER - FRONT

137x17 cm



ZERBINO

80x40 cm

DIMENSIONS:

#### 099090

#### **WINDSHIELD BANNER - REAR**

120x10 cm



099097AZ



099098AZ



Steel 0,5 L



Stainless steel 0,3 L

#### LEATHER KEY HOLDER









**KEY HOLDER** 

099106AZ

**PVC KEY HOLDER** 







099092TEMWORK 099092GAMING 099092SHOE 099092SPARCO 099092SUIT

099071GL0VE 099071SEAT

#### **BRACELETS**











099093NR

099093GI

099093BX

099093RS

LANYARD

099093BI

099103NRRS

#### NOTEBOOK

Sizes A5



#### SPIRAL NOTEBOOK

Sizes A5





KIT OF 10 STICKERS

099114AZ

**METAL PIN** 

MAGNET



099089

099111AZ

2 PCS 18 cm 4 PCS 12 cm 4 PCS 8 cm







## YOUTH & BABY

#### BABY EAGLE SUIT

Sizes: 3-6, 6-9 9-12, 12-18 18-24 (months) 100% organic cotton with digital printing.



#### **BABY SLEEPSUIT**

Sizes: 3-6, 6-9 9-12, 12-18 18-24 (months) 100% organic cotton with digital printing.

017018AZ..



**BABY STRIPE DESIGN** 

Sizes: 3-6, 6-9 9-12, 12-18 18-24 (months) 100% organic cotton with digital printing.



017012AZ..

#### **FUTURE DRIVER**

**NEXT GENERATION** 

Sizes: 3-11 years

organic cotton

017024BM..

with silk screen

HOODIE

100%

printing.

T-SHIRT Sizes: 3-11 years



017013BI..

#### T-SHIRT

Sizes: 3-11 years 100% cotton with digital printing.

STRIPES DESIGN



017013NR..



#### SWEATSHIRT

**NEXT GENERATION** 

Sizes: 3-11 years 80% cotton 20% polyester with digital printing.



017017NR..

100% polyester 3D embroidered Logo

**CAP NEXT GENERATION** 



017028NR

#### **BEANIE REFLEX**

50% wool 50% acrylic L:18xH19



017029AZBM

#### CAP CORPORATE

100% cotton 3D Patch.



017027AZ

#### **BEANIE WINDY**

100% acrylic L:18xH19



017019BMAZ



017023BM..

#### NEW PANDA PLUSH

H.48 cm

100% Polyester

compliant with regulation 2009/48/CE.

Not suitable under 3 years.



MARIA

099146PK



017020..

#### SWEATSHIRT

Sizes: 3-11 years 80% cotton 20% polyester with digital printing.



017021..

#### **CAP REBEL**

100% acrylic adjustablé closure.



017015

#### **BEANIE STRIPES DESIGN**

50% wool 50% acrylic L:18xH19



017022BM



# SK50001 CHILD SEAT NEW (ECE R129/03 - 76-150CM)

HOMOLOGATION: ECE R129/03

- Height-adjustable head rest.
- Strong impact protection.
- Reclining system.
- Wider backrest.
- ISOFIX + TOP TETHER anchorage.



# SK2000I CHILD SEAT NEW (ECE R129/03 - 100-150CM)

HOMOLOGATION: ECE R129/03

- 11 positions of headrest adjustment.
- ISOFIT supported. Two dfferent seating position by pulling adjusting board under seat base.
- Whole body injection moulding.







01928IRS





## F100KI CHILD BOOSTER

(ECE R129/03 - 125-150CM)

**HOMOLOGATION:** ECE R129/03

- 22-36kg.
- Super comfortable with 3cm foaming on seat.
- Strong inner high-resistance structure.







01929IRS



01929IAZ



MATERIAL: ALUMINUM ALLOY RANGE: MAX 30KM WEIGHT: 20KG MAXIMUM SPEED: 25KM/H MAX LOAD: 120KG BATTERY: 36V 7.8AH (SMART BMS) CHARGING TIME: 4 HOURS MOTOR POWER: 350 W WHEELS: 10"

#### HIGHLIGHTS

- Led display.
- Turn signal.
- Double suspension front 30km maximum distance 25km/h maximum speed.



Aluminum alloy.



10 Inch honeycomb tubeless tyres.



Front light + rear light + brake light.



M. McDowell Ford Mustang Dark Horse - NASCAR Cup Series 2023 Verizon 200 at the Brickyard Winner





#### **E-SCOOTER HELMET**

Tg: S-L



099116AZ..

- Bike / electric scooter helmet with a dynamic and sporty design.
- High safety, good ventilation and comfortable fit.



099116GF..

- Material: PC and EPS (polystyrene foam).
- Safety standard: CE / EN1078 (EU), CPSC (USA).



099116NR..

Sizes: S (53-55 cm), 250g M (55-58 cm), 260g L (58-61 cm), 270g

#### **PADLOCK**



099117AZ



099117GF



099117NR

- High strength cable lock for use on electric bikes/scooters.
- Material: zinc, brass, abs, pvc, steel.
- Dimensions: 12 x 1200 mm.

6 LIFESTYLE CAPSULE

## WINTER JACKET NEW

M-SPORT TEAMWEAR REPLICA

SIZE: XS-3XL COMPOSITION: 100% POLYESTER

#### HOODIE NEW M-SPORT TEAMWEAR REPLICA

SIZE: XS-3XL COMPOSITION: 65% COTTON, 35% POLYESTER

#### HIGHLIGHTS

- Winter jacket Replica of teamwear supplied to the M-SPORT team with special THERMORE® padding.
- 2-layer fabric, waterproof and windproof.
- Double density THERMORE® padding layering, optimized for extreme weather conditions.
- Central zipper with high-strength #9 chain.
- Neck frog with magnetic closure.
- Elasticized cuff inserted into sleeve bottom.





013005MSBM..

#### HIGHLIGHTS

- MADE in ITALY Hoodie replica of teamwear supplied to the M-SPORT team.
- Available in men's and women's fit.





## SOFT SHELL NEW

M-SPORT TEAMWEAR REPLICA

SIZE: XS-3XL COMPOSITION: 100% POLYESTER

- Teamwear replica softshell jacket supplied to the M-SPORT team.
- 3-layer fabric ,waterproof, windproof, with laminated inner fleece.
- Stretch side inserts for comfort and superior fitting.
- Collar strap with magnetic closure.
- Coated zippers.
- Elasticized cuff inserted in sleeve bottom.



013006MSBM..



SIZE: XS-3XL COMPOSITION: 65% COTTON, 35% POLYESTER

## POLO CORPORATE ... NEW

M-SPORT TEAMWEAR REPLICA

SIZE: XS-3XL COMPOSITION: FINE COTTON PIQUE (100% COTTON 200GR. SQ. M.)

#### HIGHLIGHTS

 MADE in ITALY 1/4 zipper sweatshirt replica of teamwear supplied to the M-SPORT team.



013001MSBM..

#### HIGHLIGHTS

- MADE in ITALY Polo replica of teamwear supplied to the M-SPORT team.
- Available in men's and women's fit.





Lady

013007MSBM..

013008MSBM..

# SCE Sports

# T-SHIRT NEW M-SPORT TEAMWEAR REPLICA

SIZE: XS-3XL COMPOSITION: 95% COTTON 5% ELASTANE

#### HIGHLIGHTS

 MADE in ITALY T-shirt replica of teamwear supplied to the M-SPORT team.



013010MSBM..

TEAMWEAR 6 LIFESTYLE

# HOODIE WRT NEW WORLD RALLY TEAM SPARCO | M-SPORT

SIZE: XS-3XL COMPOSITION: 65% COTTON, 35% POLYESTER

T-SHIRT WRT NEW WORLD RALLY TEAM SPARCO | M-SPORT

SIZE: XS-3XL COMPOSITION: 95% COTTON 5% ELASTANE

#### HIGHLIGHTS

- Made in Italy Hoodie.
- Customized M-SPORT World Rally Team.



- Made in Italy T-shirt.
- Customized M-SPORT World Rally Team.



013021MSBM..



## BASEBALL CAP NEW

**COMPOSITION: 100% POLYESTER TECHNICAL FABRIC** 

#### HIGHLIGHTS

- Five-panel cap.
- Embroidered logo embossed on visor.
- Sublimated graphics.
- PVC snapback closure.



## **NECKWARMER** NEW

COMPOSITION: 100% POLYESTER

#### HIGHLIGHTS

 Multipurpose printed neck warmer.







Thanks to Museo Alfa Romeo Arese (MI), Italy 4 LIFESTYLE

## HOODIE #F1 NEW

SIZE: XS-3XL COMPOSITION: 65% COTTON, 35% POLYESTER

SIZE: XS-3XL COMPOSITION: 65% COTTON, 35% POLYESTER

#### HIGHLIGHTS

- Made in Italy.
- Personalized Targa Florio direct embroidery.



#### HIGHLIGHTS

- Made in Italy.
- Personalized Targa Florio direct embroidery.







4 LIFESTYLE

TL

## T-SHIRT #T1 NEW

SIZE: XS-3XL COMPOSITION: FINE COTTON PIQUE (100% COTTON 200GR. SQ. M.)

SIZE: XS-3XL COMPOSITION: 95% COTTON, 5% ELASTANE

#### HIGHLIGHTS

- Polo shirt Made in Italy.
- Personalized Targa Florio.



013040TFBIRS..

013040TFNRRS..

#### HIGHLIGHTS

- T-shirt Made in Italy.
- Personalized Targa Florio.



013039TFBI..

013039TFBM..



## POLO #P2 NEW

## T-SHIRT #T2 NEW

SIZE: XS-3XL COMPOSITION: FINE COTTON PIQUE (100% COTTON 200GR. SQ. M.)

SIZE: XS-3XL COMPOSITION: 95% COTTON, 5% ELASTANE

#### HIGHLIGHTS

- Polo shirt Made in Italy.
- Personalized Targa Florio.



- T-shirt Made in Italy.
- Personalized Targa Florio.



013047TFBI..

013047TFBM..





# FULL ZIP #AM3 NEW

SIZE: XS-3XL COMPOSITION: 65% COTTON -35% POLYESTER

### HIGHLIGHTS

- Made in Italy.
- Personalized Targa Florio Arturo Merzario.









## POLO #AM2 NEW

### T-SHIRT #AM1 NEW

SIZE: XS-3XL COMPOSITION: 95% COTTON 5% ELASTANE

SIZE: XS-3XL COMPOSITION: FINE COTTON PIQUE (100% COTTON 200GR. SQ. M.)

### HIGHLIGHTS

- Made in Italy.
- Personalized Targa Florio Arturo Merzario.





### HIGHLIGHTS

- Made in Italy.
- Personalized Targa Florio Arturo Merzario.



013044AMBI..

013044AMBM..





TEAMWEAR 4 LIFESTYLE

Ę

# BORSA SUPERSTAGE #Z2 NEW

### HIGHLIGHTS

- Holder for 15.6" laptop and 11" tablet.
- Large front pocket and side pockets.
- Ergonomic back.
- Organised interior.
- Lift handle covered with soft-touch material.
- Padded and adjustable shoulder straps.

TARGA FLORIO 42lt customised backpack.



016445TF

# STAGE BACKPACK #Z1 NEW

### HIGHLIGHTS

- Handle covered in soft-touch coated fabric.
- Padded shoulder straps with belt-style straps.
- 2 hidden front pockets with Sparco seatbelt graphics.
- High-visibility front detail.
- 2 side pockets with hidden zip opening.
- Inside pocket with elastic for inserting a PC up to 15".
- Sparco customised inner lining.

TARGA FLORIO customised backpack with padded ergonomic backrest and lined with breathable mesh, horizontal strap for inserting telescopic handle trolley bag.



016440TF



# LEATHER KEYCHAIN #G1/#G2

SIZE: U

### HIGHLIGHTS

- Five-panel cotton cap.
- Embroidered patch logos.
- PVC snapback closure.



013043TF

### HIGHLIGHTS

- Leather key ring personalised.
- Direct embroidery.



099070TFRS

099070TFNR







## RACING EQUIPMENT

#### **RW-11 EVO BALACLAVA**

#### **RW-10 SHIELD TECH BALACLAVA**

**RW-7 DELTA BALACLAVA** 

FIA 8856-2018

FIA 8856-2018





FIA 8856-2018

001405B0

001402NR

001405NR

**RW-10 SHIELD TECH TOP** 

XS-S/M-L/XL-XXL FIA 8856-2018

001408BO



001408NR

001783MBO 001783MNR

SEAMLESS TOP R570-RW10 PRIME





001784MB0 001784MNR

**RW-10 SHIELD TECH BOTTOM** 

SIZE: XS-S/M-L/XL-XXL FIA 8856-2018



001777PBO 001777PNR

SEAMLESS BOTT. R570-RW10 PRIME

SIZE: XS-S/M-L/XL-XXL FIA 8856-2018



001784PBO 001784PNR

TIDE

**SIZE:** 8-13

FIA 8856-2018

PRIME R

**SIZE:** 37-48 FIA 8856-2018

440



001282BINR 001282NRBI

001282NRRS



001356NRAF

#### PRO RJ-31 HERITAGE

SIZE: XS-S-M-L-XL-XXL FIA 8859-2015



003367AZ..



003369AZ..

PRO 1977 (RJ-I)

XS-S-M-L-XL-XXL

FIA 8859-2015

SIZE:



003367RS..





003375AZ..

**AIR PRO 1977 RF-5W** 

SIZE:

 $\mathsf{XS}\text{-}\mathsf{S}\text{-}\mathsf{M}\text{-}\mathsf{L}\text{-}\mathsf{X}\mathsf{L}\text{-}\mathsf{X}\mathsf{X}\mathsf{L}$ 

FIA 8859-2015

**NX-1 HEADSET** 

#### **ABS PEAK**







00316F03



**MONZA L550 3 R.CALICE** 



015TMG22TUV



P222



015TTMZS1

# **MECHANICS EQUIPMENT**

#### SALOPETTE

SIZE: S-XXL









TIDE MECA (NOT FIA)





**0020011AZ..** 

MECA OVERGLOVES SIZE: S / M / L



00259NR..

#### TORQUE

**SIZE:** 37-47







001289..BMAF

001289..NRGF

001289..NRRS

#### SEATTLE

SIZE: S-XXL









02404NR..

#### PHOENIX

SIZE: S-3XL





PORTLAND

SIZE: S-3XL



02407AZ..

**TRENTON** 

SIZE: S-XXL



02408AZ..



02407BM..







02408BM..







02408NR..

02407NR..

# **EXACTING EQUIPMENT**

## LEISUREWEAR

#### PRIME K / PRIME K KID

44-62 / SIZE KIDS 120-150

002308NBGF..

002308EBNR..

CIK-FIA N2013.1



002308NBRS..

002308NARS..

#### RECORD

SIZE: 7-13



RUSH





IL CARBONIO

SIZE: XS -XXL



002404K..

002556..GRAF

#### **3IN1 JACKET**



01364BMNR..

01364NRAZ..

SHIRT



01364GRNR..

**FULL ZIP SWEATSHIRT** 





SIZE UOMO: SIZE WOMAN: XS-XXL



01368BI..

01369BI..

#### POLO ZIP

SIZE:

SIZE:

S-XXL



01367BI..

01317BI..

**HOODIE** "VINTAGE"







**WOOL CREWNECK PULLOVER** 

#### SIZE:

S-XXL



# **LEISUREWEAR**

#### **SOFTSHELL TEAMWEAR 20**

SIZE: XS-XXL









SHIRT 20

SIZE:

01253AZ.. 01253BM..

#### POLO 20

SIZE: XS-XXL



01255Bl..





01255AZ..





01255NR..

#### **VEST PADDED**

SIZE: S-3XL





02403BM..

#### POLO SKID

SIZE: XS-XXL



01265NR..

#### **SPEEDCAT**

SIZE: 36-46



001286..NRBI



#### S-LANE

SIZE: 36-46



001292..NRGR







001292..AZBI



001292..NRRS

### S-POLE

SIZE: 36-48







001288..BMBI







001288..RBAZ



001288..NRRS

### **GAMING**

#### CREW NECK SWEETSHIRT "NEXT GENERATION"

3 - 11 Years



017025NR..

#### T-SHIRT "NEXT GENERATION"

3-11 Years



017026BI..



009013NRRS



009013NRAZ



009013NRNR



009013NRVF

#### SWEATSHIRT BABY



017016NR..

#### **BODY BABY RACER**

SIZE: 3-6, 6-9 9-12, 12-18 18-24 Months



<u>sparco</u>

017026NR..

017011BI..



SIZE:

0-3, 3-6, 6-12, 12-24 Months



017014..

SH-17

SIZE: 26-34



001262..SIAZ

#### KIDS SEAT SK9001

SIZE:

6 - 12 Years



01921IAZ



01921IGR



01921IRS

#### STINT







00988NRAZ



00988NRNR

#### **GRIP SKY**







00989SKYNRAZ

#### HYPER-T T-SHIRT

SIZE: S-XXL





HYPER-P (JOGGER PANT)

#### **GAMING ROOKIE T-SHIRT**

SIZE: S-XXL



01360NRRS

# SPARCO GENERAL SALES TERMS AND CONDITIONS

#### **DEFINITIONS**

Purchaser: means any party (natural or legal person) that purchases one or more Products, accepting the General Conditions. General Conditions: means these general conditions of sale and any future new versions that may be published on the website by SPARCO. Order Confirmation: means the e-mail message in which SPARCO notifies the Purchaser about acceptance of the order. Contracts of Sale: means the contracts for the sale of Products completed between SPARCO and the Purchaser. Orders: means the orders for the purchase of Products submitted by the Purchaser in accordance with the General Conditions. Parties: means SPARCO and the Purchaser. Price: means the selling price of the Products, as indicated in the On-Line Shop next to each Product. Products: means the products presented for sale in the On-Line Shop. SPARCO: means Sparco S.p.A. with registered offices at Via Leini 524, Volpiano (Turin), CAP 10088, Italy.

#### RECITALS

The following "General Conditions of Sale" govern all sale contracts relating to SPARCO Products, where SPARCO is the seller of the Products. All amendments, clarifications and exceptions to the following general conditions of sale that are agreed and accepted in writing by SPARCO and the Purchaser shall be valid and prevail in the event of conflict. The Purchaser accepts these general conditions, including those regarding use of the trademark, and therefore agrees to comply with all their provisions.

#### SUBMISSION OF ORDERS

Orders must be submitted in writing to SPARCO Customer Service by e-mail, or via the SPARCO system designed for the specific purpose of selling the Products. Orders shall be deemed accepted by SPARCO, in the absence of communications to the contrary from SPARCO. Orders for special items are only accepted if accompanied by complete production details.

#### **RESPONSIBILITIES OF THE PARTIES**

The Purchaser is responsible for any erroneous production and/or non-conformities attributable to the supply of incorrect production information when ordering from SPARCO and, consequently, the Purchaser shall still be required to pay the agreed Price. In the case of special and/or customised Orders, SPARCO shall not be responsible for any use of logos, or for any infringement of logos and/or the rules that expressly govern their use and/or any rights claimed by the owner of the logos and/or by any third parties. The Purchaser requesting special production and/or the application of logos to SPARCO Products expressly confirms:

i. his knowledge of the current regulations governing the use of logos and the civil and/or criminal consequences of any infringements of those regulations;

ii. his relief of SPARCO from any and all liabilities deriving from and/or connected with the use of logos on SPARCO Products.

#### USE OF THE SPARCO TRADEMARK

SPARCO is the owner of the SPARCO trademark (word and figurative mark) and all use of that trademark must be authorised in writing by SPARCO. Use of the SPARCO trademark represents confirmation of the commercial origin of the product SPARCO and is authenticity. Use of the SPARCO trademark and its inclusion in advertising, websites, promotional articles, exhibition stands, window displays, signs, catalogues etc. must always be approved in advance by SPARCO Brand Management and must always comply with the guidelines approved by SPARCO. SPARCO is the only owner of all Internet domain names containing the word "Sparco" and use of the word must be governed by a specific licensing agreement. Use of the SPARCO trademark on third-party products (under licence) is subject to the supervision of SPARCO Brand Management and must be governed by specific contracts signed between SPARCO and the third party concerned. Images of drivers and/or teams that wear/use SPARCO products cannot be used unless specifically authorised by the driver and/or team concerned.

Upon request and by the deadline indicated, the Purchaser has a duty to provide SPARCO with evidence of the use of its name in the Territory, including its use for advertising, selling and/or distribution purposes.

#### **USE OF THIRD-PARTY LOGOS FOR CUSTOMISATION PURPOSES**

In order to use third-party logos on a customised SPARCO Products (company emblems, sponsor logos, photographs etc.) it is necessary to hold rights over them and, therefore, in order to apply a third-party logo, SPARCO requires the Purchaser to confirm in writing that it is:

i. authorised to use the logo for commercial purposes;

ii. aware that SPARCO is not responsible for any unlawful use of third-party logos that infringes the rights claimed by their owners and/or by any third parties;

iii. aware that the unlawful use of protected logos by third parties is punishable by law with application of the envisaged monetary penalties.

#### **DELIVERY TERMS**

The Products are delivered "ex works SPARCO", unless any exceptions are agreed in writing. On shipment, all risks associated with the Products acquired are transferred to the Purchaser.

#### PRODUCT RANGE, PRICES AND PAYMENT

The Products illustrated in the SPARCO catalogues and/or price lists are merely indicative, as SPARCO reserves the right to modify the range, the specifications and the prices of Products at any time.

If changes are made following the Order Confirmation, SPARCO will inform the Purchaser on a timely basis. The ownership of SPARCO Products is only transferred to the Purchaser on completion of the payment. Failure to pay an invoice will result in an immediate freeze on shipments and the acceptance of new Orders.

#### WARRANTY AND RETURN PROCEDURES

SPARCO Products are warranted against manufacturing defects for a period of 2 (two) years from the date of purchase. This warranty is void if Products are altered and/or used and/or maintained improperly, as determined with reference to the User and Maintenance Manual (when supplied). The SPARCO warranty excludes all labour and transport costs. The Purchaser accepts the SPARCO warranty conditions regarding the use and maintenance of the Products. Complaints about damaged shipments and/or theft must be notified to the courier before acceptance of the Products by the Purchaser. Requests for credit for damage and/or theft will be ignored unless specific reservations are written on the delivery documents presented by the courier.

Manufacturing defects must be notified to SPARCO within 30 (thirty) days from the date of delivery.

With regard to material or manufacturing defects, howsoever arising and with whatsoever consequences, SPARCO shall only be required to replace, repair or credit the price for the defective product, at its sole discretion. All complaints and returns under warranty must be authorised in writing by SPARCO before the Products are returned. Such authorisation will be given or refused on the basis of the description of the defect/complaint and the evidence provided by the Purchaser. Authorisation of the return shall not be deemed acceptance of the complaint or a reason for replacement. Products no longer in production or whose type approval has expired cannot be returned, except in the case of recognised manufacturing defects.

All Products returns must be received "carriage paid" by SPARCO and must be accompanied by delivery documents that are complete and accurate in all respects (quantity/item code/description).

#### COMPLIANCE WITH THE CODE OF ETHICS

Pursuant to the provisions of Decree 231 dated 8 June 2001 and subsequent amendments and additions (the "Decree"), as well as to the principles, regulations and standards envisaged in the organisation, management and control model adopted by SPARCO pursuant to the Decree (the "Model") and the code of ethics containing the corporate ethical standards adopted by SPARCO (the "Code of Ethics"), SPARCO has published the Model and the Code of Ethics on the SPARCO website, www.sparco-official.it.

SPARCO invites the Purchaser to read the Model and Code of Ethics, to comply with the principles and values expressed in the Code of Ethics, to behave in a manner consistent with the Model and, in all cases, to behave in a way that does not expose SPARCO to the risk of incurring the penalties envisaged in the above Decree.

#### JURISDICTION

All disputes relating to these General Conditions of Sale and to the sales governed by them shall be referred to the sole jurisdiction of the Milan Court.

#### **PRIVACY**

All information processed by SPARCO that is identifiable as "personal data" will be processed in full compliance with current regulations, with particular reference to Regulation (EU) 2016/679 ("GDPR"), Decree 196/2003 and all other applicable regulations.







THE POWER OF PERFORMANCE

